


SPECIFICATIONS

Marketing Name	GeForce RTX™ 5060 Ti 8G INSPIRE 2X OC
Model Name	G506T-8I2C
Graphics Processing Unit	NVIDIA® GeForce RTX™ 5060 Ti
Interface	PCI Express® Gen 5 x16 (uses x8)
Core Clocks	Extreme Performance: 2632 MHz (MSI Center) Boost: 2617 MHz
CUDA® CORES	4608 Units
Memory Speed	28 Gbps
Memory	8GB GDDR7
Memory Bus	128-bit
Output	DisplayPort x 3 (v2.1b) HDMI™ x 1 (As specified in HDMI™ 2.1b: up to 4K 480Hz or 8K 120Hz with DSC, Gaming VRR, HDR)
HDCP Support	Y
Power consumption	180W
Power connectors	8-pin x1
Recommended PSU	600 W
Card Dimension (mm)	204 x 117 x 50 mm
Weight (Card / Package)	652 g / 940 g
DirectX Version Support	12 Ultimate
OpenGL Version Support	4.6
Maximum Displays	4
G-SYNC® technology	Y
Digital Maximum Resolution	7680 x 4320

CONNECTIONS



1. DisplayPort
2. HDMI™

FEATURES

- Dual Fan**
Two fans and a huge heatsink ensure a cool and quiet experience for you.
- STORMFORCE FAN**
Seven fan blades, claw texturing, and a circular arc are designed for optimal airflow with minimal noise.
- Nickel-plated Copper Baseplate**
Heat from the GPU and memory is swiftly captured by a nickel-plated copper baseplate and transferred.
- Core Pipes**
Core Pipes feature a square design to maximize contact with the GPU baseplate for optimal thermal management.
- Metal Backplate**
A sturdy metal backplate strengthens the graphics card while the airflow vent design reduces excess heat.
- Zero Frozr**
The fans completely stop when temperatures are relatively low, eliminating all noise.
- Air Antegrade Fin**
Fins with a V-shaped cutout are located at the airflow passthrough to improve flow efficiency.
- Wave Curved 3.0**
Additional efficiency is gained by adjusting the size of the wave edges under the fan motor and other spots where there is less airflow.
- MSI Center**
The exclusive MSI Center software lets you monitor, tweak and optimize MSI products in real-time.
- Afterburner**
Take full control with the most recognized and widely used graphics card overclocking software in the world.