


# BOSCH HAMMER





## DEMOLITION HAMMER> 5 KG

**New! GSH 500 Hex Professional**

3



### Technical Specifications

HSN code	84672100
Part no.	06113386F1
Input power	1,100 W
Impact rate at rated speed	2,900 bpm
Impact energy	7.8J
Tool holder	17 Hex mm
Side handle	Straight handle
Weight	5.5 kg

Scope of supply:  
Auxiliary handle,  
2 Chisel, Carry case

**MRP: ₹27,025**



## DEMOLITION HAMMER> 5 KG

**GSH 500 MAX Professional**



### Technical Specifications

HSN code	84672100
Part no.	06113387F0
Input power	1,100 W
Impact rate at rated speed	2,900 bpm
Impact energy	7.8 J
Tool holder	SDS MAX
Side handle	Straight handle
Weight	5.7 kg

Scope of supply:  
Auxiliary handle,  
1 Chisel, Carry case

**MRP: ₹34,325**



## DEMOLITION HAMMER> 5 KG

**GSH 5 Professional**



**HEAVY DUTY**



### Technical Specifications

HSN code	84672100
Part no.	06113370F0
Rated power input	1,100 W
Impact energy	7.5J
Rated speed	2,850 bpm
Weight without cable	5.6 kg

\*with vario lock feature for chisel adjustment

Scope of supply:  
Pointed chisel, Carry case,  
Cleaning cloth, Grease tube,  
Straight handle

**MRP: ₹47,150**



## DEMOLITION HAMMER< 11 KG

**New! GSH 11 E Promo Professional**



**HEAVY DUTY**



### Technical Specifications

HSN code	84672100
Part no.	06113168F2
Power input	1,500 W
Impact rate	900 - 1,890 bpm
Impact energy	16.8 J
Weight	10.1 kg

Scope of supply:  
Auxiliary handle, Carry case,  
Grease tube, 2 Nos R-Tech pointed chisel,  
R-Tech Flat Chisel

**MRP: ₹60,100**



**DEMOLITION HAMMERS**

## DEMOLITION HAMMER &gt; 11 KG

## GSH 11 VC Professional



## Technical Specifications

HSN code	84672100
Part no.	06113360F0
Power input	1,700 W
Impact energy	23 J
Impact rate at rated speed	900 - 1,700 bpm
Weight without cable	11.4 kg

Scope of supply:  
Auxiliary handle, carrying case,  
Grease tube, machine cloth,  
Pointed chisel

MRP: ₹105,100



## DEMOLITION HAMMER &gt; 14 KG

## New Launch! GSH 14 C Professional



## Technical Specifications

HSN code	84672100
Part no.	06113440F0
Power input	1,750 W
Impact rated at rated speed	1,900 Bpm
Impact energy (EPTA)	28 J
Width x length x height	140 x 750 x 280
Weight	14.6 kg

MRP: ₹99,500



## DEMOLITION HAMMER &gt; 16 KG

## GSH 16-30 Professional



## Technical Specifications

HSN code	84672100
Part no.	06113351F0
Power input	1,750 W
Impact rate	1,300 Bpm
Impact energy	41 J
Weight	16.5 Kg

Scope of supply:  
Carrying handle, Trolley,  
Grease tube, Machine cloth,  
Pointed chisel

MRP: ₹147,325



## DEMOLITION HAMMER &gt; 27 KG

## GSH 27 VC Professional



## Technical Specifications

HSN code	84672100
Part no.	061130A0F0
Rated power input	2,000 W
Impact energy	62 J
Impact rate at rated speed	1,000 bpm
Weight	29.5 Kg

Scope of supply:  
Paper box,  
Pastic bags

MRP: ₹292,300









# ROTARY HAMMER

ROTARY  
HAMMERS



## ROTARY HAMMER 1-2 KG

## GBH 220 Professional

4



### Technical Specifications

HSN code	84672100
Part no.	06112A60F0
Rated input power	720 W
Impact energy	2J
Impact rate at rated speed	0 - 4,800 bpm
Drilling diameter concrete, hammer drill bits	4-22mm
Max. drilling diameter in (metal/wood/concrete)	13/30/22 mm
Tool holder	SDS Plus
Scope Of Supply:	
Carrying Case	MRP: ₹10,625



## ROTARY HAMMER 1-2 KG

## GBH 2-24 DRE Professional



### Technical Specifications

HSN code	84672100
Part no.	06112721F1
Power input	790 W
Impact energy	2.7 J
Drilling capacity	24 mm
No-load speed	1,300 rpm
Impact rate	4,200 bpm
Weight	2.8 kg

Scope of supply:  
Carry case

MRP: ₹16,450



## ROTARY HAMMER 1-2 KG

## GBH 2-26 RE Professional



### Technical Specifications

HSN code	84672100
Part no.	0611251755
Drilling diameter in concrete	4-26 mm
Drilling diameter in steel	13 mm
Drilling diameter in wood	30mm
Core bits masonry	68 mm
Power input	800 W
No-load speed	0 - 900 rpm
Single impact energy	0-3J
Weight	2.7 kg

Scope of supply:  
Auxiliary handle, Depth gauge,  
Carry case

MRP: ₹20,200



## ROTARY HAMMER 1-2 KG

## GBH 2-26 DRE + DRILL CHUCK Professional



### Technical Specifications

HSN code	84672100
Part no.	06112537F0
Drilling diameter in concrete	4-26 mm
Drilling diameter in steel	13mm
Drilling diameter in wood	30 mm
Core bits masonry	68 mm
Power input	800 W
No-load speed	0 - 900 rpm
Single impact energy	2.7 J
Weight	2.7 kg

Scope of supply:  
Auxiliary handle, Depth gauge,  
Carry case

MRP: ₹21,850



ROTARY  
HAMMERS