

Окно в большой мир



Picture and logos

SELLING POINTS

- Windows 11 Домашняя - MSI рекомендует Windows 11 Pro для бизнеса
- 21.5" дисплей IPS-класса со светодиодной подсветкой и разрешением Full-HD (1920x1080 пикселей)
- Процессор до Intel® Core™ i7-14700 Raptor Lake и память DDR4
- Технологии защиты зрения MSI Anti-Flicker и Less Blue Light
- Встроенная вебкамера со шторкой
- 10-точечный сенсорный экран обеспечивает удобное обучение дома и в офисе
- Технология MSI Storage Rapid Upgrade обеспечивает оперативную замену или техническое обслуживание 2.5-дюймовых накопителей
- Ощутите снижение задержек на 75% благодаря технологии WiFi 6E (опционально)
- Моноблок, который также может использоваться как монитор благодаря технологии MSI Instant Display
- Дискретный модуль dTPM для защиты конфиденциальных данных
- Двойной LAN: оптимальное решение для резервного копирования файлов, защиты данных и предотвращения взломов (с использованием эксклюзивной BIOS от MSI).
- Аудиотехнологии DTS для улучшения качества звука
- Система охлаждения Silent PRO: термомодуль серверного класса обеспечивает бесшумную и стабильную работу с увеличенным сроком службы
- DataSheet: Общие Характеристики серии PRO AP222T 14M (pdf)



1. 1x Кардридер
2. 1x USB 3.2 Gen 1 Type A
3. 1x USB 3.2 Gen 1 Type C
4. 1x HDMI-out
5. 1x HDMI-in
6. 1x COM порт
7. 2x USB 3.2 Gen 2 Type A
8. 2x RJ45
9. 2x USB 2.0 Type A
10. 1x Line-in
11. 1x Headphone-out
12. 1x DC-in
13. 1x Kensington Lock
14. 1x слот для быстрой установки 2.5" накопителя
15. 1x 5-и позиционный джойстик



МОНОБЛОКИ

PRO AP222T 14M

PRO AP222T 14M-483XRU

SPECIFICATION

Operating Systems	Operating Systems	N/A
Model	Part No	9S6-AC0141-483
	MKT Name	PRO AP222T 14M
	MKT Spec	PRO AP222T 14M-483XRU
	Color	ID1/Black-Black-Black
Chipset	Chipsets	H610
Memory	Memory Size	16GB(8GB*2)
	Memory Type	DDR4 SDRAM
	Memory Speed	1600(3200)MHz
	Module Type	SO-DIMM
	Memory Slot(Total)	2
	Memory Slot(Free)	0
	Max Capacity	Max 64GB
Processor	CPU Number	Intel Core i3 Processor 14100
	CPU Clock	3.5GHz
	CPU Cores	4
	TDP	60W
	Max Turbo Frequency	up to 4.70 GHz
	Cache	12 MB Intel® Smart Cache
	Threads	8
Display	View Angles	178°(H)/178°(V)
	Touch Screen	10 Points Projected Capacitive Touch Screen
	Screen Size	21.5" (55 cm)
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Brightness (nits)	250
	Contrast Ratio	1000:1
	Refresh Rate	N/A
	Response Time (GTG)	14ms (Typ)
Discrete Graphics	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
	GPU1 Number	UMA
	GPU1 VRAM Size	N/A
	GPU1 VRAM Type	N/A
Audio	Audio Chipset	Realtek ALC897
	Audio Type	4 Channel HD Audio
Storage	SSD Interface	PCIe GEN3x4
	SSD Form Factor	M.2-2280 M-Key
	SSD Config	256GB*1
	SSD Size	256GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	mSATA slots(Free)	0
	M.2 slots(Total)	1
	M.2 slots(Free)	0
	2.5" Drive Bays(Total)	1
	2.5" Drive Bays (Free)	1
	3.5" Drive Bays(Free)	0
Communications	LAN	Realtek RTL8111H
	WLAN Version	Wi-Fi 5+BT
	BT Version	5
Input Device	Webcam	internal webcam
	Webcam Resolution	1.0MP (720P)
	Webcam supports Windows Hello or not	No



МОНОБЛОКИ

PRO AP222T 14M

PRO AP222T 14M-483XRU

I/O Ports (Side)	Type-C in	N/A
	Card Reader	1
	Thunderbolt	N/A
	USB 3.2 Gen 1 (5G) Type C	1
	USB 3.2 Gen 1 (5G) Type A	1
I/O Ports (Rear)	USB 2.0 Type A (R)	2
	RJ45	2
	HDMI out	1x (v2.1)
	HDMI in	1
	COM Port	1
	Lock type	Kensington
	USB 3.2 Gen 2 (10G) Type A (R)	2
	Mic-in (R)	1
Warranty	Headphone-out (R)	1
	Warranty	12months
Dimension & Weight	Product Dimension with Holder (WxDxH) (mm)	N/A
	Product Dimension with Holder (WxDxH) (inch)	N/A
	Product Dimension with Stand (WxDxH) (mm)	499.25 x 209.37 x 372.96
	Product Dimension with Stand (WxDxH) (inch)	19.66 x 8.24 x 14.68
	Outer Carton Dimension with Holder (WxDxH) (mm)	N/A
	Outer Carton Dimension with Holder (WxDxH) (inch)	N/A
	Outer Carton Dimension with Stand (WxDxH) (mm)	N/A
	Outer Carton Dimension with Stand (WxDxH) (inch)	N/A
	Weight (Net kg)	5.9
	Weight (Net lbs)	13.01
	Weight (Gross kg)	9.02
	Weight (Gross lbs)	19.89
STAND	Adjustment (Tilt)	-5°~15°
Power	AC Adapter Output	120W
VESA	VESA size	100 x 100 mm
Regulatory Compliance	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)
In The Box	AC Adaptor	1
	Power Cord	1
	Warranty Card	N/A
	Quick Guide	1
	User Manual	1
	VESA Mount kit	N/A
	Keyboard Interface	USB
	Mouse	SM9023M
Barcode Info	Mouse Interface	USB
	EAN	4711377389624