


OVERVIEW



|                                              |                                  |
|----------------------------------------------|----------------------------------|
| 1. Power button                              | 5. Kensington Nano Security Slot |
| 2. Headphone / microphone combo jack (3.5mm) | 6. USB-A (USB 5Gbps), Always On  |
| 3. USB-A (USB 5Gbps)                         | 7. 2x Thunderbolt 4              |
| 4. HDMI                                      | 8. Nano-SIM card slot *          |

- Notes:
- Items with \* are only available on selected models

PERFORMANCE

Processor

Processor Family

Intel® V, U or H Series Core Ultra 5 / 7 Processor (Series 2)

Processor\*\*

| Processor Name    | Cores                                 | Threads | Base Frequency                                  | Max Frequency                                   | Cache | Processor Graphics                       | NPU             |
|-------------------|---------------------------------------|---------|-------------------------------------------------|-------------------------------------------------|-------|------------------------------------------|-----------------|
| Core Ultra 5 225H | 14 (4 P-core + 8 E-core + 2 LPE-core) | 14      | P-core 1.7GHz / E-core 1.3GHz / LPE-core 700MHz | P-core 4.9GHz / E-core 4.3GHz / LPE-core 2.5GHz | 18MB  | Intel® Arc™ 130T GPU, up to 63 TOPS      | Intel® AI Boost |
| Core Ultra 5 225U | 12 (2 P-core + 8 E-core + 2 LPE-core) | 14      | P-core 1.5GHz / E-core 1.3GHz / LPE-core 700MHz | P-core 4.8GHz / E-core 3.8GHz / LPE-core 2.4GHz | 12MB  | Intel® Graphics                          | Intel® AI Boost |
| Core Ultra 5 226V | 8 (4 P-core + 4 LPE-core)             | 8       | P-core 2.1GHz / LPE-core 2.1GHz                 | P-core 4.5GHz / LPE-core 3.5GHz                 | 8MB   | Intel® Arc™ Graphics 130V, up to 53 TOPS | Intel® AI Boost |
| Core Ultra 5 235H | 14 (4 P-core + 8 E-core + 2 LPE-core) | 14      | P-core 2.4GHz / E-core 1.8GHz / LPE-core 700MHz | P-core 5.0GHz / E-core 4.4GHz / LPE-core 2.5GHz | 18MB  | Intel® Arc™ 140T GPU, up to 74 TOPS      | Intel® AI Boost |
| Core Ultra 5 235U | 12 (2 P-core + 8 E-core + 2 LPE-core) | 14      | P-core 2.0GHz / E-core 1.6GHz / LPE-core 700MHz | P-core 4.9GHz / E-core 4.1GHz / LPE-core 2.4GHz | 12MB  | Intel® Graphics                          | Intel® AI Boost |
| Core Ultra 7 255H | 16 (6 P-core + 8 E-core + 2 LPE-core) | 16      | P-core 2GHz / E-core 1.5GHz / LPE-core 700MHz   | P-core 5.1GHz / E-core 4.4GHz / LPE-core 2.5GHz | 24MB  | Intel® Arc™ 140T GPU, up to 74 TOPS      | Intel® AI Boost |
| Core Ultra 7 255U | 12 (2 P-core + 8 E-core + 2 LPE-core) | 14      | P-core 2GHz / E-core 1.7GHz / LPE-core 700MHz   | P-core 5.2GHz / E-core 4.2GHz / LPE-core 2.4GHz | 12MB  | Intel® Graphics                          | Intel® AI Boost |
| Core Ultra 7 256V | 8 (4 P-core + 4 LPE-core)             | 8       | P-core 2.2GHz / LPE-core 2.2GHz                 | P-core 4.8GHz / LPE-core 3.7GHz                 | 12MB  | Intel® Arc™ Graphics 140V, up to 64 TOPS | Intel® AI Boost |
| Core Ultra 7 258V | 8 (4 P-core + 4 LPE-core)             | 8       | P-core 2.2GHz / LPE-core 2.2GHz                 | P-core 4.8GHz / LPE-core 3.7GHz                 | 12MB  | Intel® Arc™ Graphics 140V, up to 64 TOPS | Intel® AI Boost |
| Core Ultra 7 265H | 16 (6 P-core + 8 E-core + 2 LPE-core) | 16      | P-core 2.2GHz / E-core 1.7GHz / LPE-core 700MHz | P-core 5.3GHz / E-core 4.5GHz / LPE-core 2.5GHz | 24MB  | Intel® Arc™ 140T GPU, up to 75 TOPS      | Intel® AI Boost |
| Core Ultra 7 265U | 12 (2 P-core + 8 E-core + 2 LPE-core) | 14      | P-core 2.1GHz / E-core 1.7GHz / LPE-core 700MHz | P-core 5.3GHz / E-core 4.2GHz / LPE-core 2.4GHz | 12MB  | Intel® Graphics                          | Intel® AI Boost |
| Core Ultra 7 266V | 8 (4 P-core + 4 LPE-core)             | 8       | P-core 2.2GHz / LPE-core 2.2GHz                 | P-core 5GHz / LPE-core 3.7GHz                   | 12MB  | Intel® Arc™ Graphics 140V, up to 66 TOPS | Intel® AI Boost |
| Core Ultra 7 268V | 8 (4 P-core + 4 LPE-core)             | 8       | P-core 2.2GHz / LPE-core 2.2GHz                 | P-core 5GHz / LPE-core 3.7GHz                   | 12MB  | Intel® Arc™ Graphics 140V, up to 66 TOPS | Intel® AI Boost |

AI (Artificial Intelligence)

AI PC Category\*\*

- AI PC (models with U or H series processor)<sup>[1]</sup>
- Copilot+ PC (models with V series processor)<sup>[2]</sup>

AI Performance

Up to 118 overall TOPS

NPU

Integrated Intel® AI Boost, up to 48 TOPS

Notes:

- [1] AI PCs have a NPU capable of 10+ TOPs to run the Copilot assistant by pressing the optional Microsoft® Copilot key or using Win + C.
- [2] Copilot+ PCs have at least 16GB RAM, 256GB storage, and a NPU that runs 40+ TOPs to run the latest AI tools build-in latest Windows® 11 to accelerate productivity and creativity.

Operating System

Operating System\*\*

- Windows® 11 Pro
- Windows® 11 Home
- Windows® 11 Home Single Language
- Fedora Linux<sup>[1]</sup>
- Ubuntu Linux<sup>[2]</sup>
- Linux<sup>[3]</sup>
- No preload operating system

Notes:

- [1], [2], [3] Some features may not be supported on the system with Linux preload, including but not limited to Intel® RST RAID, MIPI computer vision camera, WWAN, Human Presence Detection, etc.

Graphics

Graphics\*\*

| Graphics                  | Type       | Memory | TGP           | Key Features  |
|---------------------------|------------|--------|---------------|---------------|
| Intel® Arc™ 130T GPU      | Integrated | Shared | Share CPU TDP | DirectX® 12.2 |
| Intel® Arc™ 140T GPU      | Integrated | Shared | Share CPU TDP | DirectX® 12.2 |
| Intel® Arc™ Graphics 130V | Integrated | Shared | Share CPU TDP | DirectX® 12.2 |
| Intel® Arc™ Graphics 140V | Integrated | Shared | Share CPU TDP | DirectX® 12.2 |
| Intel® Graphics           | Integrated | Shared | Share CPU TDP | DirectX® 12.2 |

Monitor Support

Monitor Support<sup>[1]</sup>

Models with U or H series processor: supports up to 4 independent displays (native display and 3 external monitors via HDMI® and Thunderbolt™)

Models with V series processor: supports up to 3 independent displays (native display and 2 external monitors via HDMI® and Thunderbolt™)

- HDMI® supports up to 4K@60Hz
- Thunderbolt™ supports up to 8K@60Hz<sup>[2]</sup>

Notes:

- [1] Refresh rates >60hz also supported, however max resolution will be limited.
- [2] 8K resolution support needs 2 display pipes. That is, simultaneous display number will “-1” when 8K resolution displayed.

Chipset

Chipset

Intel® SoC (System on Chip) platform

Memory

Max Memory

- 16GB soldered memory, not upgradable
- 32GB soldered memory, not upgradable
- 64GB soldered memory, not upgradable<sup>[1]</sup>

Memory Slots

Memory soldered to systemboard, no slots, dual-channel

Memory Type\*\*

- Models with V series processor: LPDDR5x-8533, MoP (Memory on Package) memory
- Models with U or H series processor: LPDDR5x-8400<sup>[2]</sup>

Notes:

<sup>[1]</sup> 64GB memory is only available for the models with U or H series processor.

<sup>[2]</sup> Installed memory is actually LPDDR5x-8533 but run as LPDDR5x-8400 due to platform limitation.

Storage

Max Storage Support<sup>[1]</sup>

One drive, up to 2TB M.2 2280 SSD

Storage Slot

- Models with U series processor: one M.2 2280 PCIe® 4.0 x4 slot
- Models with V or H series processor: one M.2 2280 PCIe® 5.0 x4 slot

Storage Type\*\*

| Disk Type    | Interface                                            | Offering                           | Security |
|--------------|------------------------------------------------------|------------------------------------|----------|
| M.2 2280 SSD | PCIe® NVMe®, PCIe® 4.0 x4                            | 256GB / 512GB / 1TB <sup>[2]</sup> | Opal 2.0 |
| M.2 2280 SSD | PCIe® NVMe®, PCIe® 5.0 x4 Performance <sup>[3]</sup> | 512GB / 1TB / 2TB                  | Opal 2.0 |

Notes:

<sup>[1]</sup> The storage capacity supported is based on the test results with current Lenovo® storage offerings.

<sup>[2]</sup> 256GB stroage is only available for the models with U or H series processor.

<sup>[3]</sup> PCIe® 5.0 x4 SSD is downgraded to PCIe® 4.0 x4 performance on the models with U series processor.

Removable Storage

Card Reader

No card reader

Multi-Media

Audio Chip\*\*

- Models with U or H series processor: High Definition (HD) Audio, Realtek® ALC3306 codec
- Models with V series processor: High Definition (HD) Audio, Realtek® ALC713 codec

Speakers

Stereo speakers, 2W x2, Dolby Atmos®

Microphone

Dual-microphone array, 360° far-field, Dolby Voice®

Camera\*\*

- FHD 1080p + IR discrete, with privacy shutter, fixed focus, temporal noise reduction
- UHD 8.0MP + IR discrete, with privacy shutter, MIPI, fixed focus, Computer Vision, temporal noise reduction

Battery

Battery

57Wh Rechargeable Li-ion Battery, supports Rapid Charge (charge up to 80% in 1hr)<sup>[1]</sup>

Battery Life<sup>[2]</sup>

Configuration 1

MobileMark® 25: up to 17.11 hr with 549 performance score @250nits

JEITA-BAT 3.0 (Video/Idle): up to 15.5 hr / 35.6 hr @200nits

Local video playback: up to 30.6 hr @150nits

Alternate configuration 2

MobileMark® 25: up to 16.8 hr with 729 performance score @250nits

JEITA-BAT 3.0 (Video/Idle): up to 13.9 hr / 35.2 hr @200nits

Local video playback: up to 28 hr @150nits

Notes:

[1] Rapid charge is only guaranteed when the computer is turned off or in standby mode or in hibernation mode. When the computer is powered on, the Charge Time will vary depending on system power consumption and AC adapter power.

[2] Configuration 1: WUXGA (non-touch), Intel® Core™ Ultra 5 225U, 16GB LPDDR5x-8400, Win 11, 57Wh battery, best power efficiency power mode

Alternate configuration 2: WUXGA (non-touch), Intel® Core™ Ultra 5 225H, 16GB LPDDR5x-8400, Win 11, 57Wh battery, best power efficiency power mode

All battery life claims are approximate maximum and based on results using [MobileMark® 25](#), JEITA 3.0, continuous 1080p local video playback (using default Media Player in Fullscreen mode with 150nits brightness and default volume level), or Google Power Load Test (PLT) battery-life benchmark tests.

Actual battery life will vary depending on many factors such as product configuration, software, wireless functionality, power management settings, and screen brightness.

The maximum capacity of the battery will decrease with time, ambient temperature and use.

Refer to [Microsoft® link](#) for more information about the Windows® Performance power slider.

Power Adapter

Power Adapter\*\*[1]

- 65W USB-C® (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C® (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C® nano GaN (2-pin, wall-mount) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C® nano GaN (3-pin, wall-mount) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C® slim (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C® slim GaN (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C® slim GaN (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- No power adapter[2]

Notes:

[1] AC adapter offerings depend on the country.

[2] No power adapter is for special bid only.

DESIGN

Display

Display\*\*[1]

| Size | Resolution        | Touch         | Type   | Brightness | Surface                                  | Aspect Ratio | Contrast Ratio | Color Gamut | Refresh Rate | Viewing Angle (L/R/U/D) | Key Features                                                                |
|------|-------------------|---------------|--------|------------|------------------------------------------|--------------|----------------|-------------|--------------|-------------------------|-----------------------------------------------------------------------------|
| 14"  | WUXGA (1920x1200) | None          | IPS[2] | 500nits    | Anti-glare                               | 16:10        | 1000:1         | 100% sRGB   | 60Hz         | 85° / 85° / 85° / 85°   | Low power, Eyesafe® Certified 2.0, 89.2% screen to body ratio               |
| 14"  | WUXGA (1920x1200) | On-cell touch | IPS[3] | 500nits    | Anti-glare                               | 16:10        | 1000:1         | 100% sRGB   | 60Hz         | 85° / 85° / 85° / 85°   | Low power, Eyesafe® Certified 2.0, 89.2% screen to body ratio               |
| 14"  | WUXGA (1920x1200) | None          | IPS[4] | 500nits    | Anti-glare                               | 16:10        | 1500:1         | 100% sRGB   | 60Hz         | 85° / 85° / 85° / 85°   | ThinkPad® Privacy Guard, Eyesafe® Certified 2.0, 89.2% screen to body ratio |
| 14"  | 2.8K (2880x1800)  | None          | OLED   | 400nits    | Anti-glare, anti-reflection, anti-smudge | 16:10        | 100,000:1      | 100% DCI-P3 | 120Hz        | 85° / 85° / 85° / 85°   | DisplayHDR™ True Black 500, Dolby Vision®, Eyesafe® Certified 2.0,          |

|     |                  |                   |      |         |                                          |       |           |             |           |                       |                                                                                               |
|-----|------------------|-------------------|------|---------|------------------------------------------|-------|-----------|-------------|-----------|-----------------------|-----------------------------------------------------------------------------------------------|
|     |                  |                   |      |         |                                          |       |           |             |           |                       | 89.2% screen to body ratio                                                                    |
| 14" | 2.8K (2880x1800) | None              | OLED | 500nits | Anti-glare, anti-reflection, anti-smudge | 16:10 | 100,000:1 | 100% DCI-P3 | 120Hz VRR | 85° / 85° / 85° / 85° | DisplayHDR™ True Black 500, Dolby Vision®, Eyesafe® Certified 2.0, 89.2% screen to body ratio |
| 14" | 2.8K (2880x1800) | Add-on Film touch | OLED | 500nits | Anti-glare, anti-reflection, anti-smudge | 16:10 | 100,000:1 | 100% DCI-P3 | 120Hz VRR | 85° / 85° / 85° / 85° | DisplayHDR™ True Black 500, Dolby Vision®, Eyesafe® Certified 2.0, 89.2% screen to body ratio |

- Touchscreen\*\***
- Add-on Film Touch, supports 10-point touch
  - On-cell multi-touch, supports 10-point touch
  - Non-touch

Notes:

[1] Models with U or H series processor: 2.8K OLED 500nits non-touch, 2.8K OLED 500nits touch, WUXGA touch, WUXGA non-touch, WUXGA ThinkPad® Privacy Guard;  
Models with V series processor: 2.8K OLED 400nits, 2.8K OLED 500nits non-touch, WUXGA touch.

[2], [3], [4] IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.

Input Device

- Pen**
- No support
- Keyboard**
- 6-row, spill-resistant, air intake design, multimedia Fn keys, Copilot key
- Keyboard Backlight**
- LED backlight
- UltraNav™\*\***
- TrackPoint® pointing device, double-tap to open the TrackPoint® Quick Menu  
Glass surface multi-touch Haptic Touchpad, 70.5 x 120 mm (2.78 x 4.72 inches)
  - TrackPoint® pointing device, double-tap to open the TrackPoint® Quick Menu  
Glass surface multi-touch 3-button Trackpad, 56.2 x 120 mm (2.21 x 4.72 inches)

Mechanical

| Models                    | Dimensions                                                                                                                 |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------|
| Models with OLED display  | 312.80 x 214.75 x 8.08/14.37 (front/rear), 16.95 (maximum) mm; 12.31 x 8.45 x 0.32/0.56 (front/rear), 0.67 (maximum)inches |
| Models with WUXGA display | 312.80 x 214.75 x 8.38/14.77 (front/rear), 17.95 (maximum) mm; 12.31 x 8.45 x 0.33/0.58 (front/rear), 0.71 (maximum)inches |

| Models                              | Weight                        |
|-------------------------------------|-------------------------------|
| Models with U or H series processor | Starting at 1006 g (2.22 lbs) |
| Models with V series processor      | Starting at 986 g (2.17 lbs)  |

- Case Color\*\***
- Black, paint

- Black, weave

**Case Material**

Carbon fiber (top), magnesium or aluminium (bottom)

Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo® lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

## CONNECTIVITY

### Network

**WLAN + Bluetooth®\*\*[1][2]**

- Intel® Wi-Fi® 6E AX211, 802.11ax 2x2 Wi-Fi® + Bluetooth® 5.3<sup>[3]</sup>
- Intel® Wi-Fi® 7 BE201, 802.11be 2x2 Wi-Fi® + Bluetooth® 5.4<sup>[4]</sup>

**WWAN\*\***

- Wireless WAN upgradable to 4G or 5G (with antenna ready)<sup>[5]</sup>
- Wireless WAN upgradable to 5G (with antenna ready)<sup>[6]</sup>
- Quectel EM160R-GL, 4G LTE CAT16, M.2 card, with embedded eSIM functionality
- Quectel RM520N-GL, 5G Sub-6 GHz, M.2 card, with embedded eSIM functionality
- No support

**SIM Card**

- KDDI eSIM Program (Japan)<sup>[7]</sup>
- No physical SIM card inbox

**Ethernet**

No onboard Ethernet<sup>[8]</sup>

**NFC**

- Near Field Communication
- No support

Notes:

[1] Bluetooth® may operate at a lower version than hardware design depending on the factors such as operating system, driver, etc.

[2] Wi-Fi® 6E is only available for the models with U or H series processor.

[3] Wi-Fi® 6E operation is subject to the regulation rules in each country.

[4] Wi-Fi® 7 operation is subject to the regulation rules in each country.

[5] For the models with U or H series processor only.

[6] For the models with V series processor only.

[7] KDDI eSIM Program is for special bid only.

[8] Ethernet support via optional Lenovo® USB-C® to Ethernet Adapter.

### Ports<sup>[1]</sup>

**Standard Ports**

- 1x USB-A (USB 5Gbps / USB 3.2 Gen 1)
- 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On
- 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1
- 1x HDMI® 2.1, up to 4K/60Hz
- 1x Headphone / microphone combo jack (3.5mm)

**Optional Ports**

1x Nano-SIM card slot (WWAN support models)

Notes:

[1] The transfer speed of the ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

## Docking

### Docking

Various docking solutions supported via Thunderbolt™ / USB-C®.

For more compatible docking solutions, please visit [Docking for ThinkPad® X1 Carbon Gen 13 Aura Edition](#)

## SECURITY & PRIVACY

### Security

#### Security Chip

Discrete TPM 2.0, TCG certified, FIPS 140-3 certified

#### Physical Locks

Kensington® Nano Security Slot™, 2.5 x 6 mm

#### Smart Card Reader

No smart card reader

#### Fingerprint Reader

Touch style fingerprint reader in keyboard key, match-on-chip

#### BIOS Security

- NVMe® password
- Power-on password
- Supervisor password
- System management password
- Certificate-based BIOS authentication
- FIDO (Fast Identity Online) authentication
- Self-healing BIOS
- More BIOS security features (models with V series processor), please visit [BIOS Simulator](#)<sup>[1]</sup>
- More BIOS security features (models with U or H series processor), please visit [BIOS Simulator](#)<sup>[2]</sup>

#### Other Security

- Camera privacy shutter
- (Optional) Computer Vision-based User Presence Sensing including lock on leave
- (Optional) Ultrasonic Human Presence Detection
- IR camera for Windows® Hello (facial recognition)
- Privacy Guard with Privacy Alert (models with ThinkPad® Privacy Guard display)

---

Notes:

[1], [2] The BIOS simulator is just for reference. Default settings and some options may vary depending on the hardware, operating system and BIOS version.

## MANAGEABILITY

### System Management

#### System Management

- Intel® vPro® Enterprise<sup>[1]</sup>
- Non-vPro®

---

Notes:

[1] Intel® vPro® offers a superset of DASH's defined capabilities.

## SERVICE

### Warranty

#### Base Warranty\*\*

- 1-year courier or carry-in service
- 1-year courier or carry-in with 2-year system board service (Korea only)
- 1-year limited onsite service

- 3-year (1-yr battery) courier or carry-in service
- 3-year (1-yr battery) limited onsite service
- No base warranty

## ACCESSORIES

### Bundled Accessories

#### Bundled Accessories<sup>\*\*\*[1]</sup>

- Lenovo® HDMI® to VGA Monitor Adapter
- Lenovo® USB-C® to Ethernet Adapter (1Gbps)
- None

Notes:

[1] For more compatible accessory solutions, please visit [Accessories for ThinkPad® X1 Carbon Gen 13 Aura Edition](#).

## OPERATING REQUIREMENTS

### Operating Environment

#### Temperature<sup>[1]</sup>

- Operating: 5°C (41°F) to 35°C (95°F)
- Storage and transportation in original shipping package: -20°C (-4°F ) to 60°C (140°F)
- Storage without package: 5°C (41°F) to 43°C (109°F)

#### Relative Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage and transportation: 5% to 95% at wet-bulb temperature 27°C (81°F)

#### Altitude

Maximum altitude (without pressurization): 3048 m (10,000 ft)

Notes:

[1] When you charge the battery, its temperature must be no lower than 10°C (50°F).

## ENVIRONMENTAL

### Sustainability

#### Material<sup>[1]</sup>

Recycled carbon fiber contained in plastic frame on top cover  
90% recycled magnesium on keyboard frame  
90% recycled magnesium or 45% hydro aluminum on bottom cover  
85% PCC recycled plastic used in keycaps of backlit keyboard  
90% PCC recycled plastic used in speaker enclosure  
90% PCC recycled plastic used in the 57Wh battery pack enclosure  
90% PCC recycled plastic used in 65W adapters  
35% PCC recycled plastic used in cable / antenna holders  
25% PCC recycled plastic used in hall sensor magnet  
Plastic free packaging with FSC certified paper

Notes:

[1] PCC: Post Consumer Content, recycled materials from customers.

## CERTIFICATIONS

### Green Certifications<sup>[1]</sup>

#### Green Certifications<sup>[2]</sup>

- ENERGY STAR® 9.0
- EPEAT™ Gold Registered<sup>[3]</sup>
- ErP Lot 6/26

- RoHS compliant
- TCO Certified 10.0

## Notes:

- [1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration. For ESG & regulatory compliance documents, please visit <https://compliance.lenovo.com>.
- [2] EPEAT™ registration and ENERGY STAR® certification are optional and only available on the models with preloaded OS. Please visit [epeat.net](https://epeat.net) and [energystar.gov](https://energystar.gov) for more information.
- [3] EPEAT™ is registered where applicable, please visit [epeat.net](https://epeat.net) for registration status by country.

## Other Certifications

### Mil-Spec Test

MIL-STD-810H military test passed

### Other Certifications

- Eyesafe® Certified 2.0
  - (Optional) Intel® Evo™ Platform
  - (Optional) SGS High Performance AI PC Certification
  - TÜV Rheinland® Dynamic Privacy Filter (DPF) Certification (Privacy Guard models)
- 
- Feature with \*\* means that only one option listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
  - Feature with \*\*\* means that one or more options listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
  - Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
  - The specifications on this page may not be available in all regions, and may be changed or updated without notice.



intel




intel



intel



intel



intel



intel