

XPG LANCER DDR5 Memory Module

UP YOUR GAME



LANCER DDR5 DRAM Module

The XPG LANCER DDR5 raises the bar in gaming memory. It delivers increased bandwidth, allocates more bandwidth per CPU core, and reaches frequencies of up to 6400MT/s. What's more, it is equipped with a PMIC (Power Management Integrated Circuit) and ECC (Error Correcting Code) for enhanced performance and stability.

Features

- New speed benchmark in gaming memory
- Beautifully crafted heat sink
- PMIC and ECC for Reliability
- Fast clock speeds up to 6400MT/s*
- Supports Intel® XMP 3.0 and AMD EXPO for easy overclocking
- RoHS compliant

*Overclocking speeds require enabling Intel® XMP 3.0 or AMD EXPO in the BIOS, along with a compatible motherboard and CPU.

Specifications

- Heat Sink Color: Black, White
- SPD Speed: 4800/5600 * MT/s
- SPD CAS Latencies: 40-39-39/46-45-45 *
- SPD Voltage: 1.1V
- * If the spec is 5600(46)MT/s
- Test Speed: 5600(Indian Edition)/6000/6400MT/s
- Test CAS Latencies: 30-40-40/32-39-39/46-45-45/48-48-48
- Module size: 16GB/32GB
- Packaging: 16GB, 16GBx2/32GB, 32GBx2
- Operating temperature: 0°C to 85°C
- Storage temperature: -20°C to 65°C
- Operating voltage: 1.35-1.4V
- Dimensions(LxWxH): 133.35 x 40 x 8mm
- Weight: 72.4g
- Warranty: Limited Lifetime Warranty



www.xpg.com

Model Number / EAN Code

Black Edition

Package	Speed/Capacity		Latency	Voltage	Model Number	EAN Code
Single Color Box	6000MT/s	16GB	CL 30-40-40	1.4V	AX5U6000C3016G-CLABK	4711085940537
	6000MT/s	32GB	CL 30-40-40	1.35V	AX5U6000C3032G-CLABK	4711085943064
	6400MT/s	16GB	CL 32-39-39	1.4V	AX5U6400C3216G-CLABK	4711085943125
	6400MT/s	32GB	CL 32-39-39	1.4V	AX5U6400C3232G-CLABK	4711085943187
Dual Color Box	6000MT/s	16GB	CL 30-40-40	1.4V	AX5U6000C3016G-DCLABK	4711085940544
	6000MT/s	32GB	CL 30-40-40	1.35V	AX5U6000C3032G-DCLABK	4711085943071
	6400MT/s	16GB	CL 32-39-39	1.4V	AX5U6400C3216G-DCLABK	4711085943132
	6400MT/s	32GB	CL 32-39-39	1.4V	AX5U6400C3232G-DCLABK	4711085943194

White Edition

Package	Speed/Capacity		Latency	Voltage	Model Number	EAN Code
Single Color Box	6000MT/s	16GB	CL 30-40-40	1.4V	AX5U6000C3016G-CLAWH	4711085940551
	6000MT/s	32GB	CL 30-40-40	1.35V	AX5U6000C3032G-CLAWH	4711085943088
	6400MT/s	16GB	CL 32-39-39	1.4V	AX5U6400C3216G-CLAWH	4711085943163
	6400MT/s	32GB	CL 32-39-39	1.4V	AX5U6400C3232G-CLAWH	4711085943200
Dual Color Box	6000MT/s	16GB	CL 30-40-40	1.4V	AX5U6000C3016G-DCLAWH	4711085940568
	6000MT/s	32GB	CL 30-40-40	1.35V	AX5U6000C3032G-DCLAWH	4711085943095
	6400MT/s	16GB	CL 32-39-39	1.4V	AX5U6400C3216G-DCLAWH	4711085943170
	6400MT/s	32GB	CL 32-39-39	1.4V	AX5U6400C3232G-DCLAWH	4711085943217



www.xpg.com

Indian Edition

Package	Color	Speed /Capacity		Latency	Voltage	Model Number	EAN Code
Single Color Box	Black	5600MT/s	16GB	CL 46-45-45	1.1V	AX5U5600C4616G-CLABK	4711658150608
		5600MT/s	32G	CL 46-45-45	1.1V	AX5U5600C4632G-CLABK	4711658150615
		6000MT/s	16GB	CL 48-48-48	1.1V	AX5U6000C4816G-CLABK	4711658150592

Package Information

Single Color Box

Model	Bulk+HS Weight (g)	Retail Weight (g)	Color Box Dimensions (LxWxH/mm)	Carton Dimensions (LxWxH/mm)	Cuft	Qty per carton	Carton N.W. (g)	Carton G.W. (g)
DDR5 U-DIMM 16G (1 rank)	72.43	80.1	150 x 67 x 15.5	375 x 315 x 158	0.66	100	8,010	8,598
DDR5 U-DIMM 32G (2 rank)	73.56	81.2	150 x 67 x 15.5	375 x 315 x 158	0.66	100	8,120	8,708

Dual Color Box

Model	Bulk+HS Weight (g)	Retail Weight (g)	Color Box Dimensions (LxWxH/mm)	Carton Dimensions (LxWxH/mm)	Cuft	Qty per carton	Carton N.W. (g)	Carton G.W. (g)
DDR5 U-DIMM 16G (1 rank)	72.43	160.5	150 x 122 x 15.5	375 x 315 x 158	0.66	50	8,025	8,613
DDR5 U-DIMM 32G (2 rank)	73.56	162.76	150 x 122 x 15.5	375 x 315 x 158	0.66	50	8,138	8,726