



T-CREATE EXPERT DDR5

Primary functions and features

- A redefinition of everything by outstanding performance
- Design for releasing unlimited creativity
- Combo Quick One-Click Overclocking Certification
(Invention patent number in Taiwan: I914103)
- Every recognition of memory overturned
- Reliable performance
- Lifetime warranty for maximum protection

Specifications

Module Type	DDR5 288 Pin Non-ECC Unbuffered DIMM					
Frequency	7600	7600	7200	6800	6400	6400
Capacity	2x16GB	2x24GB	2x16GB 2x24GB	2x16GB	2x16GB	2x32GB
Latency	CL36-46-46-84	CL36-47-47-84	CL34-42-42-84	CL36-46-46-84	CL30-39-39-76	CL30-39-39-76
Bandwidth	60,800 MB/s (PC5 60800)	60,800 MB/s (PC5 60800)	57,600 MB/s (PC5 57600)	54,400 MB/s (PC5 54400)	51,200 MB/s (PC5 51200)	51,200 MB/s (PC5 51200)
Voltage	1.4V	1.4V	1.4V	1.4V	1.35V	1.4V
Compatibility	Intel 800/700 series		Intel 800/700 series AMD 800 series		Intel 800/700 series AMD 800/600 series	
Dimensions	32(H) x 133(L) x 7(W)mm					
Heat Sink	Aluminum heat- spreader					
Profile	Intel XMP 3.0 / AMD EXPO					
Warranty	Lifetime warranty					
Operating Temperature	0°C ~ 85°C					
Storage Temperature	-20°C ~ 65°C					



Team Group Inc. was founded in 1997 in Taiwan, leading the industry by possessing professional research and development capabilities and a tightly-knit global sales network in storage and memory product, ranking among CommonWealth Magazine’ s top 1000 enterprises.



PERFECT CHOICE

Products from Team Group Inc. have been well received by the technology media around the globe and have won honors such as COMPUTEX d&i awards, COMPUTEX Best Choice Award, GOOD DESIGN AWARD, Golden Pin Design Award, Taiwan Excellence Awards, IF Design Award and Red Dot Award.

GLOBALIZATION

Team Group Inc. has built up a strong center in Taiwan for production, R&D, sales and customer service, and has over 300 global sales agents and 400 employees worldwide. Team Group Inc. uses differentiating sales strategies with a global vision and localized channel management to establish a closed distribution network.

GUARANTEED QUALITY & WARRANTY SERVICE

Team Group Inc. is well praised by the industry and customers by adhering to the corporate philosophy of "Integrity, Innovation, Professionalism, Efficiency, Discipline, and Simplicity." We offer faster repair and exchange services than others, guaranteeing a minimized delivery time for every global customer.

SOLID R&D CAPABILITIES

With the best technical and manufacturing team, products from Team Group Inc. are made with innovation and strict quality control. Our memory technology has passed the ISO9001 and ISO14001 certifications, taking the lead in the memory industry with our latest overclocking memory modules.



3F., No.166, Jian 1st Rd., Zhonghe Dist.,New Taipei City 23511, Taiwan
Team Group Inc.
Tel: +886-2-82265000 Fax: +886-2-82265808
mail: sales@teamgroup.com.tw / rma@teamgroup.com.tw



Specifications

Module Type	DDR5 288 Pin Non-ECC Unbuffered DIMM						
Frequency	6400	6400	6400	6400	6400	6400	6400
Capacity	2x48GB	2x16GB 2x24GB	2x32GB 2x48GB	2x16GB	2x32GB	2x32GB	2x16GB 2x32GB
Latency	CL32-39-39-76	CL32-39-39-84	CL32-39-39-84	CL34-39-39-76	CL34-44-44-84	CL34-46-46-84	CL38-46-46-84
Bandwidth	51,200 MB/s (PC5 51200)	51,200 MB/s (PC5 51200)	51,200 MB/s (PC5 51200)	51,200 MB/s (PC5 51200)	51,200 MB/s (PC5 51200)	51,200 MB/s (PC5 51200)	51,200 MB/s (PC5 51200)
Voltage	1.4V	1.35V	1.4V	1.35V	1.35V	1.4V	1.35V
Compatibility	Intel 800/700 series ; AMD 800/600 series						
Dimensions	32(H) x 133(L) x 7(W)mm						
Heat Sink	Aluminum heat- spreader						
Profile	Intel XMP 3.0 / AMD EXPO						
Warranty	Lifetime warranty						
Operating Temperature	0°C ~ 85°C						
Storage Temperature	-20°C ~ 65°C						



Team Group Inc. was founded in 1997 in Taiwan, leading the industry by possessing professional research and development capabilities and a tightly-knit global sales network in storage and memory product, ranking among CommonWealth Magazine’ s top 1000 enterprises.



PERFECT CHOICE

Products from Team Group Inc. have been well received by the technology media around the globe and have won honors such as COMPUTEX d&i awards, COMPUTEX Best Choice Award, GOOD DESIGN AWARD, Golden Pin Design Award, Taiwan Excellence Awards, IF Design Award and Red Dot Award.

GLOBALIZATION

Team Group Inc. has built up a strong center in Taiwan for production, R&D, sales and customer service, and has over 300 global sales agents and 400 employees worldwide. Team Group Inc. uses differentiating sales strategies with a global vision and localized channel management to establish a closed distribution network.

GUARANTEED QUALITY & WARRANTY SERVICE

Team Group Inc. is well praised by the industry and customers by adhering to the corporate philosophy of "Integrity, Innovation, Professionalism, Efficiency, Discipline, and Simplicity." We offer faster repair and exchange services than others, guaranteeing a minimized delivery time for every global customer.

SOLID R&D CAPABILITIES

With the best technical and manufacturing team, products from Team Group Inc. are made with innovation and strict quality control. Our memory technology has passed the ISO9001 and ISO14001 certifications, taking the lead in the memory industry with our latest overclocking memory modules.

Specifications

Module Type	DDR5 288 Pin Non-ECC Unbuffered DIMM						
Frequency	6400	6400	6000	6000	6000	6000	6000
Capacity	2x16GB 2x32GB	2x64GB	2x16GB	24GB 2x24GB	16GB 2x8GB 2x16GB	2x48GB	2x32GB
Latency	CL40-40-40-84	CL42-52-52-102	CL28-36-36-76	CL28-36-36-84	CL30-36-36-76	CL30-36-36-84	CL30-39-39-76
Bandwidth	51,200 MB/s (PC5 51200)	51,200 MB/s (PC5 51200)	48,000 MB/s (PC5 48000)	48,000 MB/s (PC5 48000)	48,000 MB/s (PC5 48000)	48,000 MB/s (PC5 48000)	48,000 MB/s (PC5 48000)
Voltage	1.35V	1.25V	1.4V	1.35V	1.35V	1.35V	1.4V
Compatibility	Intel 800/700 series AMD 800/600 series	Intel 800 series AMD 800 series AMD CPU 9000 series	Intel 800/700 series AMD 800/600 series				
Dimensions	32(H) x 133(L) x 7(W)mm						
Heat Sink	Aluminum heat- spreader						
Profile	Intel XMP 3.0 / AMD EXPO						
Warranty	Lifetime warranty						
Operating Temperature	0°C ~ 85°C						
Storage Temperature	-20°C ~ 65°C						



Team Group Inc. was founded in 1997 in Taiwan, leading the industry by possessing professional research and development capabilities and a tightly-knit global sales network in storage and memory product, ranking among CommonWealth Magazine’ s top 1000 enterprises.



PERFECT CHOICE

Products from Team Group Inc. have been well received by the technology media around the globe and have won honors such as COMPUTEX d&i awards, COMPUTEX Best Choice Award, GOOD DESIGN AWARD, Golden Pin Design Award, Taiwan Excellence Awards, iF Design Award and Red Dot Award.

GLOBALIZATION

Team Group Inc. has built up a strong center in Taiwan for production, R&D, sales and customer service, and has over 300 global sales agents and 400 employees worldwide. Team Group Inc. uses differentiating sales strategies with a global vision and localized channel management to establish a closed distribution network.

GUARANTEED QUALITY & WARRANTY SERVICE

Team Group Inc. is well praised by the industry and customers by adhering to the corporate philosophy of "Integrity, Innovation, Professionalism, Efficiency, Discipline, and Simplicity." We offer faster repair and exchange services than others, guaranteeing a minimized delivery time for every global customer.

SOLID R&D CAPABILITIES

With the best technical and manufacturing team, products from Team Group Inc. are made with innovation and strict quality control. Our memory technology has passed the ISO9001 and ISO14001 certifications, taking the lead in the memory industry with our latest overclocking memory modules.



3F., No.166, Jian 1st Rd., Zhonghe Dist.,New Taipei City 23511, Taiwan
Team Group Inc.
Tel: +886-2-82265000 Fax: +886-2-82265808
mail: sales@teamgroup.com.tw / rma@teamgroup.com.tw



Specifications

Module Type	DDR5 288 Pin Non-ECC Unbuffered DIMM						
Frequency	6000	6000	6000	6000	6000	6000	6000
Capacity	2x16GB	2x16GB	2x32GB	2x16GB	2x16GB	2x32GB	2x16GB
Latency	CL32-36-36-76	CL34-36-36-76	CL34-44-44-84	CL38-38-38-78	CL38-46-46-76	CL38-46-46-76	CL38-38-38-78
Bandwidth	48,000 MB/s (PC5 48000)	48,000 MB/s (PC5 48000)	48,000 MB/s (PC5 48000)	48,000 MB/s (PC5 48000)	48,000 MB/s (PC5 48000)	48,000 MB/s (PC5 48000)	48,000 MB/s (PC5 48000)
Voltage	1.35V	1.35V	1.35V	1.25V	1.25V	1.35V	1.25V
Compatibility	Intel 800/700 series ; AMD 800/600 series						
Dimensions	32(H) x 133(L) x 7(W)mm						
Heat Sink	Aluminum heat- spreader						
Profile	Intel XMP 3.0 / AMD EXPO						
Warranty	Lifetime warranty						
Operating Temperature	0°C ~ 85°C						
Storage Temperature	-20°C ~ 65°C						



Team Group Inc. was founded in 1997 in Taiwan, leading the industry by possessing professional research and development capabilities and a tightly-knit global sales network in storage and memory product, ranking among CommonWealth Magazine’ s top 1000 enterprises.



PERFECT CHOICE

Products from Team Group Inc. have been well received by the technology media around the globe and have won honors such as COMPUTEX d&i awards, COMPUTEX Best Choice Award, GOOD DESIGN AWARD, Golden Pin Design Award, Taiwan Excellence Awards, iF Design Award and Red Dot Award.

GLOBALIZATION

Team Group Inc. has built up a strong center in Taiwan for production, R&D, sales and customer service, and has over 300 global sales agents and 400 employees worldwide. Team Group Inc. uses differentiating sales strategies with a global vision and localized channel management to establish a closed distribution network.

GUARANTEED QUALITY & WARRANTY SERVICE

Team Group Inc. is well praised by the industry and customers by adhering to the corporate philosophy of "Integrity, Innovation, Professionalism, Efficiency, Discipline, and Simplicity." We offer faster repair and exchange services than others, guaranteeing a minimized delivery time for every global customer.

SOLID R&D CAPABILITIES

With the best technical and manufacturing team, products from Team Group Inc. are made with innovation and strict quality control. Our memory technology has passed the ISO9001 and ISO14001 certifications, taking the lead in the memory industry with our latest overclocking memory modules.



3F., No.166, Jian 1st Rd., Zhonghe Dist.,New Taipei City 23511, Taiwan
Team Group Inc.
Tel: +886-2-82265000 Fax: +886-2-82265808
mail: sales@teamgroup.com.tw / rma@teamgroup.com.tw



Specifications

Module Type	DDR5 288 Pin Non-ECC Unbuffered DIMM						
Frequency	6000	6000	6000	6000	6000	5600	5600
Capacity	2x16GB	2x32GB	2x16GB 2x32GB	2x16GB 2x32GB	2x64GB	2x16GB 2x32GB	2x32GB
Latency	CL38-46-46-76	CL38-46-46-76	CL38-46-46-84	CL40-40-40-84	CL40-52-52-96	CL38-46-46-76	CL38-46-46-84
Bandwidth	48,000 MB/s (PC5 48000)	48,000 MB/s (PC5 48000)	48,000 MB/s (PC5 48000)	48,000 MB/s (PC5 48000)	48,000 MB/s (PC5 48000)	44,800 MB/s (PC5 44800)	44,800 MB/s (PC5 44800)
Voltage	1.25V	1.35V	1.35V	1.35V	1.25V	1.2V	1.2V
Compatibility	Intel 800/700 series ; AMD 800/600 series						
Dimensions	32(H) x 133(L) x 7(W)mm						
Heat Sink	Aluminum heat- spreader						
Profile	Intel XMP 3.0 / AMD EXPO						
Warranty	Lifetime warranty						
Operating Temperature	0°C ~ 85°C						
Storage Temperature	-20°C ~ 65°C						



Team Group Inc. was founded in 1997 in Taiwan, leading the industry by possessing professional research and development capabilities and a tightly-knit global sales network in storage and memory product, ranking among CommonWealth Magazine’ s top 1000 enterprises.



PERFECT CHOICE

Products from Team Group Inc. have been well received by the technology media around the globe and have won honors such as COMPUTEX d&i awards, COMPUTEX Best Choice Award, GOOD DESIGN AWARD, Golden Pin Design Award, Taiwan Excellence Awards, iF Design Award and Red Dot Award.

GLOBALIZATION

Team Group Inc. has built up a strong center in Taiwan for production, R&D, sales and customer service, and has over 300 global sales agents and 400 employees worldwide. Team Group Inc. uses differentiating sales strategies with a global vision and localized channel management to establish a closed distribution network.

GUARANTEED QUALITY & WARRANTY SERVICE

Team Group Inc. is well praised by the industry and customers by adhering to the corporate philosophy of "Integrity, Innovation, Professionalism, Efficiency, Discipline, and Simplicity." We offer faster repair and exchange services than others, guaranteeing a minimized delivery time for every global customer.

SOLID R&D CAPABILITIES

With the best technical and manufacturing team, products from Team Group Inc. are made with innovation and strict quality control. Our memory technology has passed the ISO9001 and ISO14001 certifications, taking the lead in the memory industry with our latest overclocking memory modules.



3F., No.166, Jian 1st Rd., Zhonghe Dist.,New Taipei City 23511, Taiwan
Team Group Inc.
Tel: +886-2-82265000 Fax: +886-2-82265808
mail: sales@teamgroup.com.tw / rma@teamgroup.com.tw



1. Product Applicability and Compatibility

- TEAMGROUP memory modules are designed for desktop or laptop computers that support DDR5 DRAM (depending on the product model). However, final compatibility is determined by the motherboard, processor (CPU), and BIOS support.
- The final operating frequency of the memory depends on system BIOS settings, and motherboard and CPU compatibility. For example, even if you purchase a DDR5-6000 memory, if the motherboard or CPU only supports DDR5-5600, the memory will not exceed that frequency.
- Before purchasing, please confirm whether your motherboard, processor (CPU), and BIOS support the memory specifications you intend to buy.
- Some older Intel/AMD chipset may not support newer interface memory modules. Before purchasing, please refer to the motherboard and processor (CPU) specifications or consult the manufacturer for confirmation.
- If XMP 3.0 (Intel) or EXPO (AMD) is not enabled, the memory will run at the SPD default frequency (JEDEC standard), such as DDR5-4800 (or lower). This is a normal phenomenon and not a product defect.
- It is recommended to update your motherboard BIOS before installing the memory to ensure optimal compatibility and performance.

2. Memory Frequency and XMP3.0-EXPO Settings

- The final operating frequency of the memory depends on system BIOS settings, and motherboard and CPU compatibility.
- If XMP 3.0 (Intel) or EXPO (AMD) is not enabled, the memory will run at the SPD default frequency (JEDEC standard), such as DDR5-4800 (or lower). This is a normal phenomenon and not a product defect.
- XMP 3.0 / EXPO must be manually enabled by the user. Some motherboards may not reach the stated frequency, as the final operating frequency depends on system settings and hardware specifications.
- Overclocking (such as enabling XMP 3.0 / EXPO settings) is not part of the JEDEC standard and may affect system stability. If overclocking causes system instability, please revert to the BIOS default settings.
- The stated frequency of the memory module is the maximum achievable frequency. However, not all systems will be able to reach it.
- If the memory cannot achieve the advertised frequency due to motherboard, processor, or BIOS limitations, this should not be considered a product defect and does not qualify for warranty claims.
- TEAMGROUP memory modules are tested under standard voltage conditions. If you experience issues due to processor or motherboard failure, please contact the respective processor or motherboard manufacturer for after-sales support.

3. Overclocking and Voltage Settings

- Enabling XMP 3.0 / EXPO is considered overclocking. The final operating frequency and stability depend on the motherboard, CPU, and BIOS settings. Not all systems can achieve the advertised speeds. This is a normal phenomenon and not a product defect.
- Overclocking may cause system instability or crashes. If such issues occur, please revert to the BIOS default settings and manually adjust to the optimal configuration.
- Some motherboards may require BIOS updates and optimizations to ensure stable operation.
- If the memory's clock speed, voltage, or timings are set beyond the official specifications (JEDEC / XMP 3.0 / EXPO), it may result in system instability or damage. TEAMGROUP is not responsible for such issues, and warranty scope coverage may be affected.

4. Warranty and Support

- The warranty covers only material and manufacturing defects under normal use. It does not cover damage caused by overclocking, incorrect BIOS settings, voltage adjustments, environmental factors (such as high temperature, high humidity, electrostatic discharge), or incompatible hardware configurations.
- The advertised frequency of the memory module is not a guaranteed value. TEAMGROUP is not responsible if the memory cannot reach the advertised frequency due to system compatibility issues, and such cases do not qualify for warranty claims.
- If you encounter any compatibility or installation issues, please contact TEAMGROUP technical support (<https://support.teamgroupinc.com/en/support/>) for professional advice.

5. Important Reminders

- Before purchasing, please make sure that your motherboard, processor (CPU), and BIOS support the memory module you are buying to avoid incompatibility issues.
- Do not mix memory modules of different capacities, frequencies, brands, or models. Each memory kit is paired through compatibility testing. Mixing different kits may cause system instability or failure to boot.
- The quality of the CPU memory controller (IMC) and the version from the BIOS of motherboard may both potentially affect the operating frequency of the memory.
- If the system fails to boot, runs unstably, or does not achieve the advertised frequency, ensure that the BIOS is updated and that XMP 3.0 / EXPO is manually enabled.
- Different memory brands may have variations in internal timing, which could affect compatibility. To ensure system stability, it is not recommended to mix different brands or specifications of memory modules.
- We reserve the right to modify product specifications without prior notice.
- The recommended operating temperature range for this product is 0°C to 85°C, and the recommended storage temperature range is -20°C to 65°C.
- The actual maximum temperature tolerance varies depending on the IC grade and module design of each specific part number. For long-term operation in extreme environments, please contact our technical support team for further evaluation and recommendations. Operation outside the recommended temperature ranges may affect product lifespan and data reliability and is not covered under standard warranty conditions.



Team Group Inc. was founded in 1997 in Taiwan, leading the industry by possessing professional research and development capabilities and a tightly-knit global sales network in storage and memory product, ranking among CommonWealth Magazine's top 1000 enterprises.



T:CREATE

PERFECT CHOICE

Products from Team Group Inc. have been well received by the technology media around the globe and have won honors such as COMPUTEX d&i awards, COMPUTEX Best Choice Award, GOOD DESIGN AWARD, Golden Pin Design Award, Taiwan Excellence Awards, iF Design Award and Red Dot Award.

GLOBALIZATION

Team Group Inc. has built up a strong center in Taiwan for production, R&D, sales and customer service, and has over 300 global sales agents and 400 employees worldwide. Team Group Inc. uses differentiating sales strategies with a global vision and localized channel management to establish a closed distribution network.

GUARANTEED QUALITY & WARRANTY SERVICE

Team Group Inc. is well praised by the industry and customers by adhering to the corporate philosophy of "Integrity, Innovation, Professionalism, Efficiency, Discipline, and Simplicity." We offer faster repair and exchange services than others, guaranteeing a minimized delivery time for every global customer.

SOLID R&D CAPABILITIES

With the best technical and manufacturing team, products from Team Group Inc. are made with innovation and strict quality control. Our memory technology has passed the ISO9001 and ISO14001 certifications, taking the lead in the memory industry with our latest overclocking memory modules.



3F., No.166, Jian 1st Rd., Zhonghe Dist., New Taipei City 23511, Taiwan
Team Group Inc.
Tel: +886-2-82265000 Fax: +886-2-82265808
mail: sales@teamgroup.com.tw / rma@teamgroup.com.tw



Ordering information

Color	Frequency	CAS Latency/Voltage	Capacity	IC Specifications	Team P/N
BLACK	DDR5-6000 (PC5-48000)	CL30-36-36-76 1.35V	16GB	x8	CTCED516G6000HC3001
		CL28-36-36-84 1.35V	24GB	x8	CTCED524G6000HC28B01

Color	Frequency	CAS Latency/Voltage	Capacity	IC Specifications	Team P/N
WHITE	DDR5-6000 (PC5-48000)	CL30-36-36-76 1.35V	16GB	x8	CTCWD516G6000HC3001
		CL28-36-36-84 1.35V	24GB	x8	CTCWD524G6000HC28B01



Team Group Inc. was founded in 1997 in Taiwan, leading the industry by possessing professional research and development capabilities and a tightly-knit global sales network in storage and memory product, ranking among CommonWealth Magazine’ s top 1000 enterprises.



T:CREATE

PERFECT CHOICE

Products from Team Group Inc. have been well received by the technology media around the globe and have won honors such as COMPUTEX d&i awards, COMPUTEX Best Choice Award, GOOD DESIGN AWARD, Golden Pin Design Award, Taiwan Excellence Awards, iF Design Award and Red Dot Award.

GLOBALIZATION

Team Group Inc. has built up a strong center in Taiwan for production, R&D, sales and customer service, and has over 300 global sales agents and 400 employees worldwide. Team Group Inc. uses differentiating sales strategies with a global vision and localized channel management to establish a closed distribution network.

GUARANTEED QUALITY & WARRANTY SERVICE

Team Group Inc. is well praised by the industry and customers by adhering to the corporate philosophy of "Integrity, Innovation, Professionalism, Efficiency, Discipline, and Simplicity." We offer faster repair and exchange services than others, guaranteeing a minimized delivery time for every global customer.

SOLID R&D CAPABILITIES

With the best technical and manufacturing team, products from Team Group Inc. are made with innovation and strict quality control. Our memory technology has passed the ISO9001 and ISO14001 certifications, taking the lead in the memory industry with our latest overclocking memory modules.



3F., No.166, Jian 1st Rd., Zhonghe Dist.,New Taipei City 23511, Taiwan
Team Group Inc.
Tel: +886-2-82265000 Fax: +886-2-82265808
mail: sales@teamgroup.com.tw / rma@teamgroup.com.tw



Ordering information

Color	Frequency	CAS Latency/Voltage	Capacity	IC Specifications	Team P/N
BLACK	DDR5-5600 (PC5-44800)	CL38-46-46-76 1.2V	2x16GB	x8	CTCED532G5600HC38GDC01
			2x32GB	x8	CTCED564G5600HC38GDC01
		CL38-46-46-84 1.2V	2x32GB	x8	CTCED564G5600HC38JDC01
	DDR5-6000 (PC5-48000)	CL28-36-36-76 1.4V	2x16GB	x8	CTCED532G6000HC28ADC01
		CL28-36-36-84 1.35V	2x24GB	x8	CTCED548G6000HC28BDC01
		CL30-36-36-76 1.35V	2x8GB	x8	CTCED516G6000HC30DC01
			2x16GB	x8	CTCED532G6000HC30DC01
		CL30-36-36-84 1.35V	2x48GB	x8	CTCED596G6000HC30DDC01
		CL30-39-39-76 1.4V	2x32GB	x8	CTCED564G6000HC30CDC01
		CL32-36-36-76 1.35V	2x16GB	x8	CTCED532G6000HC32DC01
		CL34-36-36-76 1.35V	2x16GB	x8	CTCED532G6000HC34CDC01
		CL34-44-44-84 1.35V	2x32GB	x8	CTCED564G6000HC34BDC01
		CL38-38-38-78 1.25V	2x16GB	x8	CTCED532G6000HC38ADC01
		CL38-46-46-76 1.25V	2x16GB	x8	CTCED532G6000HC38GDC01
		CL38-46-46-76 1.35V	2x32GB	x8	CTCED564G6000HC38GDC01
		CL38-46-46-84 1.35V	2x16GB	x8	CTCED532G6000HC38JDC01
			2x32GB	x8	CTCED564G6000HC38JDC01
		CL40-40-40-84 1.35V	2x16GB	x8	CTCED532G6000HC40BDC01
			2x32GB	x8	CTCED564G6000HC40BDC01
		CL40-52-52-96 1.25V	2x64GB	x8	CTCED5128G6000HC40FDC01
	DDR5-6400 (PC5-51200)	CL30-39-39-76 1.35V	2x16GB	x8	CTCED532G6400HC30CDC01
		CL30-39-39-76 1.4V	2x32GB	x8	CTCED564G6400HC30CDC01
		CL32-39-39-76 1.4V	2x48GB	x8	CTCED596G6400HC32BDC01
		CL32-39-39-84 1.35V	2x16GB	x8	CTCED532G6400HC32ADC01
			2x24GB	x8	CTCED548G6400HC32ADC01
		CL32-39-39-84 1.4V	2x32GB	x8	CTCED564G6400HC32ADC01
			2x48GB	x8	CTCED596G6400HC32ADC01
		CL34-39-39-76 1.35V	2x16GB	x8	CTCED532G6400HC34DDC01

TEAMGROUP

Team Group Inc. was founded in 1997 in Taiwan, leading the industry by possessing professional research and development capabilities and a tightly-knit global sales network in storage and memory product, ranking among CommonWealth Magazine's top 1000 enterprises.



PERFECT CHOICE

Products from Team Group Inc. have been well received by the technology media around the globe and have won honors such as COMPUTEX d&i awards, COMPUTEX Best Choice Award, GOOD DESIGN AWARD, Golden Pin Design Award, Taiwan Excellence Awards, IF Design Award and Red Dot Award.

GLOBALIZATION

Team Group Inc. has built up a strong center in Taiwan for production, R&D, sales and customer service, and has over 300 global sales agents and 400 employees worldwide. Team Group Inc. uses differentiating sales strategies with a global vision and localized channel management to establish a closed distribution network.

GUARANTEED QUALITY & WARRANTY SERVICE

Team Group Inc. is well praised by the industry and customers by adhering to the corporate philosophy of "Integrity, Innovation, Professionalism, Efficiency, Discipline, and Simplicity." We offer faster repair and exchange services than others, guaranteeing a minimized delivery time for every global customer.

SOLID R&D CAPABILITIES

With the best technical and manufacturing team, products from Team Group Inc. are made with innovation and strict quality control. Our memory technology has passed the ISO9001 and ISO14001 certifications, taking the lead in the memory industry with our latest overclocking memory modules.



3F., No.166, Jian 1st Rd., Zhonghe Dist., New Taipei City 23511, Taiwan
Team Group Inc.
Tel: +886-2-82265000 Fax: +886-2-82265808
mail: sales@teamgroup.com.tw / rma@teamgroup.com.tw



Ordering information

Color	Frequency	CAS Latency/Voltage	Capacity	IC Specifications	Team P/N
BLACK	DDR5-6400 (PC5-51200)	CL34-44-44-84 1.35V	2x32GB	x8	CTCED564G6400HC34BDC01
		CL34-46-46-84 1.4V	2x32GB	x8	CTCED564G6400HC34EDC01
		CL38-46-46-84 1.35V	2x16GB	x8	CTCED532G6400HC38JDC01
		CL40-40-40-84 1.35V	2x16GB	x8	CTCED532G6400HC40BDC01
			2x32GB	x8	CTCED564G6400HC40BDC01
		CL42-52-52-102 1.25V	2x64GB	x8	CTCED5128G6400HC42CDC01
	DDR5-6800 (PC5-54400)	CL36-46-46-84 1.4V	2x48GB	x8	CTCED596G6800HC36DDC01
	DDR5-7200 (PC5-57600)	CL34-42-42-84 1.4V	2x16GB	x8	CTCED532G7200HC34ADC01
		CL34-42-42-84 1.4V	2x24GB	x8	CTCED548G7200HC34ADC01
	DDR5-7600 (PC5-60800)	CL36-46-46-84 1.4V	2x16GB	x8	CTCED532G7600HC36DDC01
		CL36-47-47-84 1.4V	2x24GB	x8	CTCED548G7600HC36EDC01
Color	Frequency	CAS Latency/Voltage	Capacity	IC Specifications	Team P/N
WHITE	DDR5-5600 (PC5-44800)	CL38-46-46-76 1.2V	2x16GB	x8	CTCWD532G5600HC38GDC01
			2x32GB	x8	CTCWD564G5600HC38GDC01
		CL38-46-46-84 1.2V	2x32GB	x8	CTCWD564G5600HC38JDC01
	DDR5-6000 (PC5-48000)	CL28-36-36-76 1.4V	2x16GB	x8	CTCWD532G6000HC28ADC01
		CL28-36-36-84 1.35V	2x24GB	x8	CTCWD548G6000HC28BDC01
		CL30-36-36-76 1.35V	2x8GB	x8	CTCWD516G6000HC30DC01
			2x16GB	x8	CTCWD532G6000HC30DC01
		CL30-36-36-84 1.35V	2x48GB	x8	CTCWD596G6000HC30DDC01
		CL30-39-39-76 1.4V	2x32GB	x8	CTCWD564G6000HC30CDC01
		CL32-36-36-76 1.35V	2x16GB	x8	CTCWD532G6000HC32DC01
		CL34-36-36-76 1.35V	2x16GB	x8	CTCWD532G6000HC34CDC01
		CL34-44-44-84 1.35V	2x32GB	x8	CTCWD564G6000HC34BDC01
		CL38-38-38-78 1.25V	2x16GB	x8	CTCWD532G6000HC38ADC01
		CL38-46-46-76 1.25V	2x16GB	x8	CTCWD532G6000HC38GDC01
		CL38-46-46-76 1.35V	2x32GB	x8	CTCWD564G6000HC38GDC01



Team Group Inc. was founded in 1997 in Taiwan, leading the industry by possessing professional research and development capabilities and a tightly-knit global sales network in storage and memory product, ranking among CommonWealth Magazine's top 1000 enterprises.



PERFECT CHOICE

Products from Team Group Inc. have been well received by the technology media around the globe and have won honors such as COMPUTEX d&i awards, COMPUTEX Best Choice Award, GOOD DESIGN AWARD, Golden Pin Design Award, Taiwan Excellence Awards, IF Design Award and Red Dot Award.

GLOBALIZATION

Team Group Inc. has built up a strong center in Taiwan for production, R&D, sales and customer service, and has over 300 global sales agents and 400 employees worldwide. Team Group Inc. uses differentiating sales strategies with a global vision and localized channel management to establish a closed distribution network.

GUARANTEED QUALITY & WARRANTY SERVICE

Team Group Inc. is well praised by the industry and customers by adhering to the corporate philosophy of "Integrity, Innovation, Professionalism, Efficiency, Discipline, and Simplicity." We offer faster repair and exchange services than others, guaranteeing a minimized delivery time for every global customer.

SOLID R&D CAPABILITIES

With the best technical and manufacturing team, products from Team Group Inc. are made with innovation and strict quality control. Our memory technology has passed the ISO9001 and ISO14001 certifications, taking the lead in the memory industry with our latest overlocking memory modules.



3F., No.166, Jian 1st Rd., Zhonghe Dist., New Taipei City 23511, Taiwan
Team Group Inc.
Tel: +886-2-82265000 Fax: +886-2-82265808
mail: sales@teamgroup.com.tw / rma@teamgroup.com.tw



Ordering information

Color	Frequency	CAS Latency/Voltage	Capacity	IC Specifications	Team P/N
WHITE	DDR5-6000 (PC5-48000)	CL38-46-46-84 1.35V	2x16GB	x8	CTCWD532G6000HC38JDC01
			2x32GB	x8	CTCWD564G6000HC38JDC01
		CL40-40-40-84 1.35V	2x16GB	x8	CTCWD532G6000HC40BDC01
			2x32GB	x8	CTCWD564G6000HC40BDC01
		CL40-52-52-96 1.25V	2x64GB	x8	CTCWD5128G6000HC40FDC01
	DDR5-6400 (PC5-51200)	CL30-39-39-76 1.35V	2x16GB	x8	CTCWD532G6400HC30CDC01
		CL30-39-39-76 1.4V	2x32GB	x8	CTCWD564G6400HC30CDC01
		CL32-39-39-76 1.4V	2x48GB	x8	CTCWD596G6400HC32BDC01
		CL32-39-39-84 1.35V	2x16GB	x8	CTCWD532G6400HC32ADC01
			2x24GB	x8	CTCWD548G6400HC32ADC01
		CL32-39-39-84 1.4V	2x32GB	x8	CTCWD564G6400HC32ADC01
			2x48GB	x8	CTCWD596G6400HC32ADC01
		CL34-39-39-76 1.35V	2x16GB	x8	CTCWD532G6400HC34DDC01
		CL34-44-44-84 1.35V	2x32GB	x8	CTCWD564G6400HC34BDC01
		CL34-46-46-84 1.4V	2x32GB	x8	CTCWD564G6400HC34EDC01
		CL38-46-46-84 1.35V	2x16GB	x8	CTCWD532G6400HC38JDC01
		CL40-40-40-84 1.35V	2x16GB	x8	CTCWD532G6400HC40BDC01
			2x32GB	x8	CTCWD564G6400HC40BDC01
		CL42-52-52-102 1.25V	2x64GB	x8	CTCWD5128G6400HC42CDC01
	DDR5-6800 (PC5-54400)	CL36-46-46-84 1.4V	2x48GB	x8	CTCWD596G6800HC36DDC01
	DDR5-7200 (PC5-57600)	CL34-42-42-84 1.4V	2x16GB	x8	CTCWD532G7200HC34ADC01
		CL34-42-42-84 1.4V	2x24GB	x8	CTCWD548G7200HC34ADC01
	DDR5-7600 (PC5-60800)	CL36-46-46-84 1.4V	2x16GB	x8	CTCWD532G7600HC36DDC01
		CL36-47-47-84 1.4V	2x24GB	x8	CTCWD548G7600HC36EDC01

TEAMGROUP

Team Group Inc. was founded in 1997 in Taiwan, leading the industry by possessing professional research and development capabilities and a tightly-knit global sales network in storage and memory product, ranking among CommonWealth Magazine's top 1000 enterprises.



PERFECT CHOICE

Products from Team Group Inc. have been well received by the technology media around the globe and have won honors such as COMPUTEX d&i awards, COMPUTEX Best Choice Award, GOOD DESIGN AWARD, Golden Pin Design Award, Taiwan Excellence Awards, iF Design Award and Red Dot Award.

GLOBALIZATION

Team Group Inc. has built up a strong center in Taiwan for production, R&D, sales and customer service, and has over 300 global sales agents and 400 employees worldwide. Team Group Inc. uses differentiating sales strategies with a global vision and localized channel management to establish a closed distribution network.

GUARANTEED QUALITY & WARRANTY SERVICE

Team Group Inc. is well praised by the industry and customers by adhering to the corporate philosophy of "Integrity, Innovation, Professionalism, Efficiency, Discipline, and Simplicity." We offer faster repair and exchange services than others, guaranteeing a minimized delivery time for every global customer.

SOLID R&D CAPABILITIES

With the best technical and manufacturing team, products from Team Group Inc. are made with innovation and strict quality control. Our memory technology has passed the ISO9001 and ISO14001 certifications, taking the lead in the memory industry with our latest overclocking memory modules.



3F., No.166, Jian 1st Rd., Zhonghe Dist., New Taipei City 23511, Taiwan
Team Group Inc.
Tel: +886-2-82265000 Fax: +886-2-82265808
mail: sales@teamgroup.com.tw / rma@teamgroup.com.tw

