

INFORMATION

27" QHD monitor with USB-C docking and LAN that simplifies your daily setup


Designed for modern professionals who value efficiency and a clutter-free workspace, the ProLite XB2797QSN brings advanced connectivity and high-quality visuals together in a single, versatile 27" display.



The integrated USB-C dock with 65W Power Delivery allows you to transmit video, audio and data while simultaneously powering your laptop through just one cable. This simplifies your desk setup, reduces cable clutter and makes hot-desking effortless. The built-in RJ45 (LAN) port provides a stable wired network connection directly through the monitor, eliminating the need for extra adapters and ensuring reliable performance throughout the working day.


The 27" QHD IPS panel (2560×1440) delivers sharp detail and accurate colour reproduction with wide viewing angles, making it ideal for spreadsheets, creative projects and multitasking. A DisplayPort output enables easy daisy-chaining for a dual-monitor configuration, helping you expand your workspace and increase productivity without complication.

A 15cm height-adjustable stand with tilt, swivel and pivot functions, including portrait mode, allows you to tailor the screen position to your exact ergonomic needs. TÜV Rheinland Eye Comfort certification confirms reduced blue light emissions and flicker-free performance, supporting comfortable viewing and sustained concentration during long working hours.



USB-C dock for tidy desk & easy connectivity

Connect everything with just one cable - handle video, data, and power while keeping your desk clean and organized.



Expand your view with QHD

QHD 2560x1440 resolution offers up to 77% more screen space than Full HD, giving you plenty of room to multitask efficiently, view more content at once, and work with greater precision, without constantly switching between windows.



Adjustable stand for optimal comfort

Find your perfect screen position easily and maintain a healthy, comfortable posture all day long. Thanks to its fully adjustable stand, you can effortlessly adapt the monitor to your needs. Raise or lower the height, swivel left or right, or tilt the screen to reduce glare and find the optimal viewing angle. Whether you're working, designing, or attending long video calls, this flexibility helps reduce neck and back strain, improving both comfort and productivity throughout your day.



Built-in audio without extra clutter

Enjoy clear, pleasant sound for calls, videos, and music while keeping your desk free of extra speakers, thanks to the integrated audio.

ХАРАКТЕРИСТИКИ

01 ХАРАКТЕРИСТИКИ ДИСПЛЕЯ

Дизайн	4-side slim bezel
Диагональ	27", 68.5см
Панель	IPS Panel Technology LED, матовый
Разрешение	2560 x 1440 @75Гц (3.7 megapixel QHD)
Соотношение сторон	16:9
Яркость	350 cd/m ²
Контрастность	1000:1
Расширенная контрастность	80M:1
Время отклика (MPRT)	1ms
Видимая область	горизонталь/вертикаль: 178°/178°, право/лево: 89°/89°, вверх/вниз: 89°/89°
Поддержка цвета	16.7mIn (sRGB: 100%; NTSC: 72%)
Частота горизонтальной развертки	30 - 112кГц
Видимая область Ш x В	596.7 x 335.7мм, 23.5 x 13.2"
Размер пикселя	0.233мм
Colour	матовый, чернить

02 ИНТЕРФЕЙСЫ / РАЗЪЕМЫ / УПРАВЛЕНИЕ

Вход сигнала	HDMI x1 (v.1.4) DisplayPort x1 (v.1.2) USB-C x1 (PD 65W)
Выход сигнала	DisplayPort x1 (Daisy Chain MST max. 2560 x 1440)
USB HUB	x4 (2x Type-A v.3.2 Gen 1 (5Gbps, 4.5W) 2x Type-C (5Gbps, 7.5W))
USB-C DOCK	x1 (Power delivery 65W, LAN, DP out, USB v.3.2 (Gen 1, 5Gbit))
HDCP	да
Разъем для наушников	да
RJ45 (LAN)	x1

03 ФУНКЦИИ

Flicker Free LED	да
Adaptive Sync поддержка	да
Extra	i-Style colour, Eye Comfort
Языки экранного меню	EN, DE, FR, ES, IT, RU, JP, CZ, NL, PL, UA
Кнопки управления	Joystick: Power/Menu (Centre), Up/Signal Select, Down, Left/Shortcut, Right/Volume

Настройки пользователя	picture adjust (brightness, contrast, ECO, ACR, OD, MBR, Adaptive Sync), colour settings (i-Style colour, RGB range, colour temp., user preset), OSD (OSD H. position, OSD V. position, OSD rotate, OSD time, OSD background, DDC/CI control, display information), language, extra 1 (sharpness, video mode adjust, opening logo, power LED, USB charge, USB-C speed, MST DP-out), extra 2 (shortcut key, Mac address, FW version), input select, audio settings (volume, mute), reset (reset all?)
Колонки	2 x 2Вт
Дополнительно	подготовка Kensington-lock™, DDC/CI, DDC2B

04 МЕХАНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Эргономика	высота, вращение подставки, наклон, pivot (вращение в обе стороны)
Настройка высоты (HAS)	150мм
Вращение экрана (PIVOT)	90°
Вращение подставки (Swivel)	120°; 60° лево; 60° право
Угол наклона экрана	23° вверх; 5° вниз
Крепление VESA	100 x 100mm
Креплени для кабелей	да

05 6.АКСЕССУАРЫ

Кабели	Питание (1.5m), HDMI (1.5m), USB-C (1.0m)
Прочее	Краткое руководство по началу работы, Руководство по безопасности

06 POWER-MANAGEMENT

Блок питания	внутренний
Питание	AC 100 - 240V, 50/60Гц
Потребляемая мощность	21W default, 0.5W ожидание, 0.3W отключено

07 СТАНДАРТЫ

Сертификаты	CE, TÜV-GS, EAC, VCCI-B, PSE, RoHS support, ErP, WEEE, REACH, UKCA, TCO Edge
Класс энергоэффективности (Regulation (EU) 2017/1369)	E
EPEAT Silver	*registration varies by country, go to www.epeat.net for details
REACH SVHC	above 0.1%: Lead, Lead monoxide, Diboron trioxide
Гарантия	5 years (for details and eligible countries please check the Warranty section of our website)

08 РАЗМЕР / ВЕС


Размер продукта Ш x В x Г 613 x 403.5 (547.5) x 209.5мм


Размер коробки Ш x В x Г 691 x 447 x 142мм

Вес (без упаковки) 5.8кг

Вес (с упаковкой) 8.0кг

EAN код 4948570125937







Все товарные знаки и торговые марки являются собственностью их владельцев и они защищены. Ошибки и изменения допускаются. Спецификации могут быть изменены без уведомления. Все LCD мониторы соответствуют стандарту ISO-9241-307:2008 по политике битых пикселей. © IIYAMA CORPORATION. ALL RIGHTS RESERVED