

Overview

The leader for simple, stress-free printing.[1]

Effortlessly print/scan/copy with this compact, wireless printer with optional extra-high-yield cartridges, paired with the easiest-to-use print app. From labels to recipes, enjoy a seamless experience from the World's #1 Printer Company.[2,3]

Simple setup with the easiest-to-use print app

Get started fast by following simple steps on the best and easiest-to-use print app.[2]

Stay connected with our most reliable Wi-Fi®[4]

Be always ready to print with our most reliable Wi-Fi® that automatically reconnects if connection is lost.[4]

Rely on high quality with ultra-low-cost inks

The optional ultra-low-cost Original HP inks deliver up to 2,600 black and 1,400 color pages in a single box.

Driving innovation with 60% recycled plastic[5]

Choose printers made with at least 60% recycled plastic.[5]

[1] Based on 2023 CYQ1 shipments in the IDC Worldwide Quarterly Hardcopy Peripherals Tracker®, 2023 CYQ1 Release. Includes shipments of all HP Deskjet in-class printers.

[2] Compared to OEM printing apps for the majority of top-selling, network-capable inkjet/laser printers and all-in-ones for the home and office, priced \(\leq\\$\\$450 USD. Printers selected by market share as reported by IDC Quarterly Hardcopy Peripherals Tracker - Final Historical CYQ1 2023. Claim based on research of printer manufacturer's print apps and Keypoint Intelligence hands-on testing and study commissioned by HP, July 2023. For details, please see: keypointintelligence.com/HPSmartapp. Requires HP app download available at www.hp.com/go/mobileprinting. Certain features are available in English language only, and may vary by printer model/country, and between desktop/mobile applications. HP reserves the right to introduce charges for use of functionality facilitated by the HP app. Internet access required and may not be available in all countries. HP account required for full functionality. Fax capabilities are for sending a fax only. List of supported operating systems available in app stores. See details at www.hpsmart.com .

[3] Based on 2022 Q4 shipments in the IDC Worldwide Quarterly Hardcopy Peripherals Tracker®, 2022 Q4 Release. Includes shipments of all printing devices (inkjet printers, laser printers, copiers and multifunction devices, including production units).

[4] HP DeskJet Ink Advantage Ultra 4900 Printer Series has self-healing Wi-Fi, HP's best and most reliable wireless technology. Internet access required and must be purchased separately. Wireless operations are compatible with 2.4 GHz operations only. Learn more at www.hp.com/go/mobileprinting.

[5] Percentage of recycled plastic is calculated by plastic total weight.

Specifications

Print quality black (best)	Up to 1200 x 1200 rendered dpi
Print quality color (best)	Up to 4800 x 1200 optimized dpi color (when printing from a computer on selected HP photo papers and 1200 input dpi)
Print speed black (ISO, A4)	Up to 8.5 ppm
Print speed	Print speed up to 7.5 ppm (black) and 5.5 ppm (color)
Bottom margin (A4)	12.7 mm
Left margin (A4)	3 mm
Right margin (A4)	3 mm
Top margin (A4)	3 mm
Functions	Print, copy, scan, wireless
Duplex printing	Manual (driver support provided)
Duty cycle (monthly, A4)	Up to 1000 pages
Duty cycle (monthly, letter)	Up to 1000 pages
Copier smart software features	N/A
Replacement cartridges	HP 47 Original Black Ultra Ink Advantage Cartridge (~1,300 pages yield) 6ZD21A; HP 47 Original Tri-Color Ultra Ink Advantage Cartridge (~700 pages yield) 6ZD61A. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies ^[4]
Connectivity, standard	1 Wi-Fi 802.11b/g/n; 1 Hi-Speed USB 2.0 (device)
Network capabilities	Yes, built-in Wi-Fi 802.11b/g/n, 2.4 GHz single-band only
Wireless capability	Yes, built-in Wi-Fi 802.11b/g/n, 2.4 GHz single-band only
Mobile printing capability	Apple AirPrint; Mopria Print Service; Chrome OS; HP app
Software included	WW: HP Printer Software, available online; AP Indo: CD Software included
Compatible Operating Systems	Windows 11; Windows 10; macOS 10.14 Mojave; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; Chrome OS; macOS 14 Sonoma (macOS 14 Sonoma; Windows 11; Windows 10; macOS 10.14 Mojave; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; Chrome OS.)
Technical features	Flatbed scanner; Made with recycled plastic; Simple set-up
Sustainable impact specifications	60% post-consumer recycled plastic
Digital sending standard features	No
Scan speed (normal, letter)	N/A
Scan file format	JPEG, TIFF, PDF, BMP, PNG
Scan input modes	HP Smart App, Webscan
Scan technology	Contact Image Sensor (CIS)

Scanner type	Flatbed; ADF
Display	Icon LCD display
Dimensions (W x D x H)	425 x 304 x 154 mm (Dimensions vary as per configuration)
Dimensions (W x D x H)	16.7 x11.97 x 6.06 in
Weight	3.42 kg (Weight varies as per configuration)
Weight	7.55 lb (Weight varies as per configuration)
Power consumption	2.8 W (ready), 1.53 W (sleep), 0.3 W (auto-off), 0.3 W (off). [2] (Power requirements and consumption are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.)
Power supply type	Internal
What's in the box	HP DeskJet IA Ultra 4927 All-in-One Printer; HP 47 Setup Black Cartridge Qty 2; HP 47 Setup Tri-Color Cartridge Qty 2; Regulatory flyer; Setup guide; Reference guide; Power cord [For ink volume and page yield information, visit http://hp.com/go/learnaboutsupplies] ^[8]
Manufacturer Warranty	One-year limited warranty. For more info please visit us at http://support.hp.com .For full terms and conditions visit: www.hp.com/go/orderdocuments .Warranty and support options vary by product, country, and local legal requirements

Additional specifications

Accessories	None
Acoustic power emissions (active, printing)	6.1 B(A)
Acoustic pressure emissions	54 dB(A)
Automatic paper sensor	No
Bit depth	24-bit
Borderless printing	No
Cable included	Yes
Camera phone supported	No
Cartons per layer	10
Color copy capability	Yes
Color or black	Color
Color scanning	Yes
Compatible Network Operating Systems	macOS 14 Sonoma; Windows 11; Windows 10; macOS 10.14 Mojave; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; Chrome OS
Compliance alliances	None
Connection type	Wireless
Control panel	Fixed icons display; 7 buttons (Power, Cancel Job, Resume, Info, Wireless, Color Copy & Black Copy); 5 LED indicator lights (Power, Ink level, Wifi, resume & Info).
Copies, maximum	Up to 9 copies
Copy reduce / enlarge settings	Via HP app
Copy resolution (black graphics)	Up to 300 x 300 dpi
Copy resolution (black text)	Up to 300 x 300 dpi
Copy resolution (color text and graphics)	Up to 300 x 300 dpi
Copy speed black (ISO)	Up to 6 cpm
Copy speed color (ISO)	Up to 3 cpm
Count of layers in pallet	5
Country of origin	Made in China
Dimensions with trays up (W \times D \times H)	425 x 546 x 250 mm
Dynamic security	Dynamic security enabled printer

Electromagnetic compatibility	EN 55032:2015+A11:2020 CLASS B, IEC 61000-4-2:2008,EC 61000-4-2:2008, IEC 61000-4-3:2020,IEC 61000-4-4:2012, IEC 61000-4-5:2014+A1:2017, IEC 61000-4-6:2013, IEC 61000-4-8:2009, IEC 61000-4-11:2004+A1:2017, EN 301 489-1 V2.2.3,EN 301 489-17 V3.2.4, FCC CFR 47 PART 15, ICES-003, ISSUE 7	
Envelope Feeder	No	
Finished output handling	Sheetfed	
First page out black (A4, ready)	As fast as 15 sec	
First page out color (A4, ready)	As fast as 19 sec	
Geographic availability	AP	
Ink types	Dye-based (color); Pigment-based (black)	
Input capacity	Up to 60 sheets	
Internal Storage	No	
Levels of grayscale	256	
Mac compatible	Yes	
Maximum Input Capacity (envelopes)	Up to 5 envelopes	
Maximum Memory	64 MB DDR1; 24 MB flash	
Maximum dimensions (W x D x H)	16.7 x 21.5 x 9.8 in Output Extension full out	
Maximum dimensions (W \times D \times H)	425 x 546 x 250 mm Output Extension full out	
Maximum input capacity (10x15cm photos)	Up to 20 sheets	
Maximum input capacity (4x6 photo)	Up to 20 sheets	
Maximum input capacity (cards)	Up to 20 cards	
Maximum input capacity (labels)	Up to 10 sheets	
Maximum input capacity (photo paper)	Up to 20 sheets	
Maximum input capacity (sheets)	Up to 60 sheets	
Maximum output capacity (cards)	Up to 20 cards	
Maximum output capacity (envelopes)	Up to 5 envelopes	
Maximum output capacity (labels)	Up to 10 sheets	
Maximum output capacity (photo paper)	Up to 20 sheets	
Maximum output capacity (sheets)	Up to 25 sheets	
Maximum print area	209.9 x 349.6 mm	
Media sizes supported	A4; B5; A6; DL envelope	
Media sizes supported	Letter; legal; 4 x 6 in; 5 x 7 in; 8 x 10 in; No. 10 envelopes	
Media sizes supported, key	4 x 6 in; Letter; Legal; Envelopes	

Media sizes supported, key	10 x 15 cm; A4; Envelopes	
Media sizes, custom	3 x 5 to 8.5 x 14 in	
Media sizes, custom	76 x 127 to 215 x 355 mm	
Media types	Plain paper, photo paper, brochure paper, envelopes and other specialty inkjet papers	
Media weight, recommended	75 g/m²	
Media weight, recommended	20 lb	
Media weight, supported	A4: 60 to 90 g/m²; HP envelopes: 75 to 90 g/m²; HP cards: up to 200 g/m²; HP 10 x 15 cm photo paper: up to 300 g/m²	
Media weight, supported	Letter: 16 to 32 lb; HP envelopes: 20 to 24 lb; HP cards: up to 110 lb; HP 4 x 6 inch photo paper: up to 145 lb	
Memory	64 MB DDR1	
Memory Slots	None	
Minimum System Requirements	Windows 10, 11, : 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, Internet connection, Internet Explorer.	
Minimum System Requirements for Macintosh	macOS V10.14 Mojave, macOS 10.15 Catalina, macOS 11 Big Sur, macOS 12 Monterey, macOS 13 Ventura; 2 GB HD; Internet required	
Model number	4927	
Multitasking supported	No	
Non-Operating Humidity Range	5 to 90% RH (non-condensing)	
Number of users	1-3 Users	
Operating altitude	Up to 3,000 m	
Operating altitude	Up to 10,000 ft	
Operating humidity range	15 to 80% RH (non-condensing)	
Operating temperature range	5 to 40℃	
Operating temperature range	41 to 104°F	
Orderable supplies	HP 47 Original Black Ultra Ink Advantage Cartridge 6ZD21A; HP 47 Original Tri-Color Ultra Ink Advantage Cartridge 6ZD61A	
Output capacity	Up to 25 sheets	
Package dimensions (W x D x H)	475 x 191 x 354mm	
Package dimensions (W x D x H)	18.7 x 7.5 x 13.9 in	
Package weight	4.58 kg	
Package weight	10.1 lb	
Page yield (set-up/inbox cartridges)	~1300 pages black; ~700 pages tri-color	
Pallet dimensions	48 x 40 x 85.12 in	
Pallet dimensions (W x D x H)	1219.2 x 1016 x 2162 mm	
Pallet weight	728 lb	

331 kg
Not Applicable
60-sheet input tray
Not Applicable
25-sheet output tray
1
1
No
No
No
Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz), 350 mA. India iput voltage: 200 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz), 350 mA.
Black; Cyan; Magenta; Yellow
2 (1 each black, tri-color)
Ink
Yes
4
328 (black), 588 (color)
2 (1 each black, tri-color)
HP PCL 3 GUI; HP PCLm (HP Apps/UPD); URF (AirPrint)
Up to 7.5 ppm
Up to 20 ppm
Up to 5.5 ppm
Up to 16 ppm
As fast as 65 sec
As fast as 65 sec
HP Thermal Inkjet
HP PCL 3 GUI
1.0 GHz
Moroccan Blue
High speed USB, Mopria, Wi-Fi Certified, Bluetooth, Airprint, ColorLock, WeChat (for countries that apply), Energy Star (For countries that apply), Recycle, Fragile, keep out of rain, this side up, PAP20 (for countries that apply), HP Total Care, Smart Way (for countries that apply), Stack height (6), CE (for countries that apply), Green Dot (for countries that apply), Tidy Man (for countries that apply), EAC Logo (for countries that apply), KCCC Logo + approval number (Korea), AP Language bubble (AP only), RMN (regulatory model number), Regionalize mobius loop

Product long name specifications	HP DeskJet Ink Advantage Ultra 4927 All-in-One Printer, Color Printer for Home, Print, copy, scan, wireless, Print from mobile device
Product name (back)	HP DeskJet Ink Advantage Ultra 4927
Product name (front)	HP DeskJet Ink Advantage Ultra 4927
Product name (primary)	HP DeskJet Ink Advantage Ultra 4927
Product name (secondary)	HP DeskJet Ink Advantage Ultra 4927
Product short name specifications	HP DeskJet Ultra Ink Advantage 4927 Wireless All-in-One Color Printer, Copier, Scanner
Quantity per pallet	50
RMN number	VCVRA-2201-01
Recommended Macintosh system requirements	macOS V10.14 Mojave, macOS 10.15 Catalina, macOS 11 Big Sur, macOS 12 Monterey, macOS 13 Ventura; 2 GB HD; Internet required
Recommended monthly page volume	50 to 100
Recommended operating humidity range	20 to 80% RH (non-condensing)
Recommended operating temperature range	59 to 86°F
Recommended operating temperature range	15 to 30°C
Safety	IEC 60950-1:2005 +A1:2009 +A2:2013, IEC 62368-1:2014, IEC 62368-1:2018, EN IEC 62368-1:2020 +A11:2020, EN 62311:2008, EN 50663:2017, EN 50665:2017
Scan resolution, hardware	Up to 1200 x 1200 dpi
Scan resolution, optical	Up to 1200 dpi
Scan size (ADF), maximum	8.5x14in
Scan size (ADF), maximum	215.9x355.6mm
Scan size, maximum	216 x 297 mm
Scan size, maximum	8.5 x 11.69 in
Scan speed duplex (normal, A4)	N/A
Scan speed duplex (normal, letter)	N/A
Scanning options (ADF)	Single Sided
Segment (filter)	Home
Send to email capability	No
Service & support options	With services, software, solutions and support from HP, you can use, protect and enjoy your HP technology. Free technical support during warranty period. Access to world-class support services through http://www.hp.com/support.
Standard input capacity (cards)	Up to 20 cards
Standard input capacity (envelopes)	Up to 5

Standard input capacity (legal)	Up to 60 sheets
Standard media sizes (duplex)	Not Applicable
Standard media sizes (duplex, imperial)	Not Applicable
Standard output capacity (cards)	Up to 20 cards
Standard output capacity (envelopes)	Up to 5 envelopes
Standard output capacity (labels)	Up to 10 sheets
Standard output capacity (legal)	Up to 25 sheets
Storage altitude	4500 m
Storage altitude	15,000 ft
Storage device and direct print support	Storage devices not supported
Storage temperature range	-40 to 60°C
Storage temperature range	-40 to 140°F
Sub-brand name	Deskjet Ink Advantage
System requirements, recommended	Windows 10, 11, : 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, Internet connection, Internet Explorer.
Target user and print volume	For teams up to 3 users; Prints up to 100 pages/month
Tariff numbers	8443310000
Top key features	Scan to PDF
Twain version	Version 2.4
UNSPSC code	43212110
UPC number	(614) 196786995941; (BHG) 196786995958
Vertical alignment accuracy	+/- 0.00167 in
Vertical alignment accuracy	+/- 0.042 mm
Video action printing supported	No
Wireless technologies	802.11b/g/n

^[2] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

^[4] Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see http://hp.com/go/learnaboutsupplies

^[8] For more information about page yields for replacement cartridges see http://hp.com/go/learnaboutsupplies for setup cartridges click on Setup supplies link on the same page.

Ink/Toner/Paper/Printer Supplies

Ink Supplies ★: Recommended

HP Inkjet Printer Cartridges and Ink Supplies

HP 47 Black Original Cartridge	6ZD21A
HP 47 Tri-color Original Cartridge	6ZD61A

HP Business Papers

HP Business Papers for inkjet

HP Enhanced Business Paper, Matte, 40 lb, 8.5 x 11 in (216 x 279 mm), 150	9ZE20A	
sheets	9ZEZUA	

HP Photo Papers

HP Photo Papers for inkjet

HP Matte Photo Paper, 180 g/m2, 10 x 15 cm (101 x 152 mm), 25 sheets	7HF70A
HP Matte Photo Paper, 48 lb, 4 x 6 in. (101 x 152 mm), 25 sheets	6QH46A

HP Home & Office Papers

HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets	HPM1720P
HP MultiPurpose20TM, 20 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets	HPM1120R
HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets	HPM1420P

Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Dec 05, 2024 1:24 PM UTC+0000